


## 0.12 kW







$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	$M_2$ Nm	$M_2'$ Nm	S	S'	i	$R_{n2}$ N					IEC	
2.0	0.41	388	1024	1.5	0.6	304.2	7000	C414_304.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	198-199
2.6	0.54	296	782	1.5	0.6	232.3	6500	C354_232.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	196-197
3.7	0.77	211	557	2.1	0.8	162.0	6500	C353_162.0	— P63	— V 0.25 F	P63	BN63B6	196-197
4.9	1.0	159	421	1.9	0.7	122.4	5500	C313_122.4	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	194-195
5.8	1.2	134	356	2.2	0.8	103.3	5500	C313_103.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	194-195
7.3	1.5	108	284	2.8	1.1	82.6	5500	C313_82.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	194-195
9.5	2.0	84	223	1.6	0.6	63.3	5000	C212_63.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	192-193
11.0	2.3	73	192	2.2	0.9	54.7	5000	C212_54.7	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	192-193
13.9	2.9	58	152	3.3	1.2	43.3	5000	C212_43.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	192-193
16.3	3.4	49	130	1.8	0.7	37.0	2000	C112_37.0	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
16.4	3.4	49	129	4.1	1.5	36.8	5000	C212_36.8	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	192-193
18.4	3.8	44	115	2.1	0.8	32.8	2000	C112_32.8	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
20.4	4.2	39	104	5.1	1.9	29.6	5000	C212_29.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	192-193
20.5	4.2	39	104	2.5	1.0	29.5	2000	C112_29.5	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
23.8	4.9	34	89	2.6	1.0	25.4	2000	C112_25.4	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
26.4	5.5	31	81	3.3	1.2	22.9	2000	C112_22.9	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
29.3	6.1	27	72	3.2	1.2	20.6	2000	C112_20.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
35	7.3	23	60	3.8	1.5	17.2	2000	C112_17.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
39	8.1	21	54	4.2	1.8	15.5	2000	C112_15.5	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
45	9.3	18	47	4.5	1.9	13.4	2000	C112_13.4	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
60	12.4	13	36	5.4	2.5	10.1	2000	C112_10.1	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
79	16.4	10	27	6.4	3.0	7.6	2000	C112_7.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
97	20.2	8	22	7.4	3.2	6.2	2000	C112_6.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191
123	25.5	7	17	8.4	3.9	4.9	2000	C112_4.9	V025 P63	V 0.25 C V 0.25 F	P63	BN63B6	190-191


## 0.18 kW

2.5	0.52	437	873	1.4	0.7	239.9	7000	C414_239.9	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	198-199
3.5	0.72	359	957	1.7	0.6	263.0	7000	C414_263.0	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	198-199
3.8	0.79	327	873	1.8	0.7	239.9	7000	C414_239.9	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	198-199
4.4	0.92	288	768	1.6	0.6	206.4	6500	C353_206.4	— P63	— V 0.25 F	P63	BN63B4	196-197
5.8	1.2	192	384	1.6	0.8	103.3	5500	C313_103.3	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	194-195









## 0.18 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
6.5	1.3	173	346	1.7	0.9	93.0	5500	C313_93.0	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	194-195
7.1	1.5	178	474	2.5	1.0	127.3	6500	C353_127.3	— P63	— V 0.25 F	P63	BN63B4	196-197
7.3	1.5	154	307	2.0	1.0	82.6	5500	C313_82.6	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	194-195
8.2	1.7	156	415	2.9	1.1	111.5	6500	C353_111.5	— P63	— V 0.25 F	P63	BN63B4	196-197
8.8	1.8	144	384	2.1	0.8	103.3	5500	C313_103.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	194-195
9.0	1.9	142	378	3.2	1.2	101.6	6500	C353_101.6	— P63	— V 0.25 F	P63	BN63B4	196-197
9.0	1.9	127	254	1.7	0.9	66.8	5500	C312_66.8	— P63	— V 0.25 F	P63	BN71A6R	194-195
11.0	2.3	115	307	2.6	1.0	82.6	5500	C313_82.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	194-195
11.5	2.4	100	199	3.0	1.5	52.4	5500	C312_52.4	— P63	— V 0.25 F	P63	BN71A6R	194-195
13.3	2.8	86	172	3.5	1.7	45.3	5500	C312_45.3	— P63	— V 0.25 F	P63	BN71A6R	194-195
13.6	2.8	95	254	2.3	0.9	66.8	5500	C312_66.8	— P63	— V 0.25 F	P63	BN63B4	194-195
13.9	2.9	82	165	2.3	1.2	43.3	5000	C212_43.3	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	192-193
16.4	3.4	70	140	2.9	1.4	36.8	5000	C212_36.8	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	192-193
17.4	3.6	75	199	4.0	1.5	52.4	5500	C312_52.4	— P63	— V 0.25 F	P63	BN63B4	194-195
20.1	4.2	65	172	4.6	1.7	45.3	5500	C312_45.3	— P63	— V 0.25 F	P63	BN63B4	194-195
20.4	4.2	56	113	3.6	1.8	29.6	5000	C212_29.6	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	192-193
21.0	4.4	62	165	3.1	1.2	43.3	5000	C212_43.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	192-193
23.8	4.9	48	97	1.8	0.9	25.4	2000	C112_25.4	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	190-191
24.7	5.2	52	140	3.8	1.4	36.8	5000	C212_36.8	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	192-193
24.9	5.1	46	92	4.3	2.2	24.3	5000	C212_24.3	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	192-193
27.7	5.8	47	125	1.9	0.7	32.8	2000	C112_32.8	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	190-191
29.3	6.1	39	78	2.3	1.1	20.6	2000	C112_20.6	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	190-191
30	6.3	38	76	5.3	2.6	20.0	5000	C212_20.0	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	192-193
31	6.4	42	112	2.4	0.9	29.5	2000	C112_29.5	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	190-191
35	7.3	33	65	2.7	1.4	17.2	2000	C112_17.2	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	190-191
36	7.5	36	97	2.5	0.9	25.4	2000	C112_25.4	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	190-191
37	7.8	35	92	5.8	2.2	24.3	4760	C212_24.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	192-193
44	9.2	29	78	3.0	1.1	20.6	2000	C112_20.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	190-191
45	9.3	25	51	3.2	1.8	13.4	2000	C112_13.4	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	190-191
53	11.0	25	65	3.6	1.4	17.2	2000	C112_17.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	190-191
58	12.0	23	60	8.9	3.3	15.8	4160	C212_15.8	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	192-193
60	12.4	19	38	3.8	2.3	10.1	2000	C112_10.1	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	190-191
68	14.2	19	51	4.2	1.8	13.4	2000	C112_13.4	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	190-191
79	16.4	14	29	4.5	2.7	7.6	2000	C112_7.6	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	190-191
90	18.8	14	38	5.0	2.3	10.1	2000	C112_10.1	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	190-191
97	20.2	12	24	5.2	3.0	6.2	2000	C112_6.2	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	190-191




## 0.18 kW






$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
120	25.0	11	29	6.0	2.7	7.6	2000	C112_7.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	190-191
123	25.5	9	19	5.9	3.6	4.9	2000	C112_4.9	V025 P63	V 0.25 C V 0.25 F	P63	BN71A6R	190-191
147	31	9	24	6.9	3.0	6.2	1950	C112_6.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	190-191
186	39	7	19	7.9	3.6	4.9	1800	C112_4.9	V025 P63	V 0.25 C V 0.25 F	P63	BN63B4	190-191


## 0.25 kW

2.2	0.41	841	2102	1.9	0.8	462.0	7000	C614_462.0	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	202-203
3.0	0.56	615	1537	2.6	1.0	337.7	16000	C614_337.7	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	202-203
3.8	0.72	480	1200	2.1	0.8	263.8	10000	C514_263.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	200-201
4.2	0.79	438	1096	2.3	0.9	240.9	10000	C514_240.9	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	200-201
4.2	0.80	434	1084	3.7	1.5	238.3	16000	C614_238.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	202-203
5.2	1.0	355	887	1.7	0.7	190.8	7000	C413_190.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	198-199
6.1	1.2	305	763	2.0	0.8	164.1	7000	C413_164.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	198-199
6.2	1.2	301	753	1.5	0.6	162.0	6500	C353_162.0	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	196-197
6.8	1.3	275	686	1.6	0.7	147.6	6500	C353_147.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	196-197
7.1	1.5	213	474	2.1	1.0	127.3	6500	C353_127.3	— P63	— V 0.25 F	P63	BN63C4	196-197
7.2	1.4	260	650	1.7	0.7	139.8	6500	C353_139.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	196-197
8.2	1.7	187	415	2.4	1.1	111.5	6500	C353_111.5	— P63	— V 0.25 F	P63	BN63C4	196-197
8.3	1.6	224	561	2.7	1.1	120.6	7000	C413_120.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	198-199
9.0	1.9	170	378	2.6	1.2	101.6	6500	C353_101.6	— P63	— V 0.25 F	P63	BN63C4	196-197
9.0	1.7	207	518	2.2	0.9	111.5	6500	C353_111.5	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	196-197
9.9	2.1	154	342	2.9	1.3	91.9	6500	C353_91.9	— P63	— V 0.25 F	P63	BN63C4	196-197
10.9	2.1	171	427	2.6	1.1	91.9	6500	C353_91.9	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	196-197
11.0	2.3	138	307	2.2	1.0	82.6	5500	C313_82.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	194-195
11.7	2.4	130	289	3.5	1.6	77.6	6500	C353_77.6	— P63	— V 0.25 F	P63	BN63C4	196-197
11.9	2.3	156	390	2.9	1.2	83.8	6500	C353_83.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	196-197
14.1	2.7	132	329	3.4	1.4	70.7	6500	C353_70.7	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	196-197
14.7	3.1	104	231	4.3	2.0	62.0	6500	C353_62.0	— P63	— V 0.25 F	P63	BN63C4	196-197
16.6	3.5	94	208	1.7	0.8	54.7	5000	C212_54.7	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	192-193
17.4	3.6	90	199	3.3	1.5	52.4	5500	C312_52.4	— P63	— V 0.25 F	P63	BN63C4	194-195
17.7	3.4	105	263	4.3	1.7	56.5	6500	C353_56.5	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	196-197
19.1	3.6	100	249	3.0	1.2	52.4	5500	C312_52.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	194-195
20.1	4.2	78	172	3.9	1.7	45.3	5500	C312_45.3	— P63	— V 0.25 F	P63	BN63C4	194-195
21.0	4.4	74	165	2.6	1.2	43.3	5000	C212_43.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	192-193



## 0.25 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N						
21.2	4.0	90	224	3.3	1.3	47.2	5500	C312_47.2	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	194-195
22.1	4.2	86	215	3.5	1.4	45.3	5500	C312_45.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	194-195
24.7	5.2	63	140	3.2	1.4	36.8	5000	C212_36.8	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	192-193
26.4	5.0	72	191	4.2	1.6	25.1	5500	C312_25.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71B6	194-195
27.2	5.7	57	127	1.8	0.8	33.4	2000	C112_33.4	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
27.2	5.2	70	175	2.9	1.1	36.8	5000	C212_36.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	192-193
30	5.7	63	157	3.2	1.3	33.1	4910	C212_33.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	192-193
31	6.4	50	112	2.0	0.9	29.5	2000	C112_29.5	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
31	6.4	51	112	4.0	1.8	29.6	4970	C212_29.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	192-193
34	6.4	56	140	1.8	0.7	29.5	2000	C112_29.5	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	190-191
34	6.4	56	141	3.6	1.4	29.6	4770	C212_29.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	192-193
37	7.1	51	127	3.9	1.6	26.7	4620	C212_26.7	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	192-193
37	7.8	42	92	4.8	2.2	24.3	4690	C212_24.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	192-193
38	8.0	45	118	1.9	0.8	47.6	2000	C112_47.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
40	8.3	39	87	2.5	1.1	22.9	2000	C112_22.9	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
41	7.8	46	115	4.3	1.7	24.3	4500	C212_24.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	192-193
42	8.9	41	106	2.1	0.9	42.9	2000	C112_42.9	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
42	8.8	41	107	4.5	1.8	43.3	4500	C212_43.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	192-193
44	9.2	35	78	2.5	1.1	20.6	2000	C112_20.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
49	10.3	35	91	2.2	1.0	37.0	2000	C112_37.0	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
50	9.5	38	95	5.3	2.1	20.0	4250	C212_20.0	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	192-193
53	11.0	29	65	3.0	1.4	17.2	2000	C112_17.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
55	11.6	31	81	2.4	1.1	32.8	2000	C112_32.8	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
58	11.0	33	82	2.7	1.1	17.2	2000	C112_17.2	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	190-191
62	12.9	28	73	2.6	1.4	29.5	2000	C112_29.5	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
65	12.3	29	74	2.9	1.3	15.5	2000	C112_15.5	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	190-191
68	14.2	23	51	3.5	1.8	13.4	2000	C112_13.4	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
72	15.0	24	63	2.9	1.4	25.4	2000	C112_25.4	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
75	15.7	21	46	3.8	2.1	12.1	2000	C112_12.1	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
79	16.6	22	57	3.1	1.8	22.9	2000	C112_22.9	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
83	15.7	23	57	3.4	1.7	12.1	2000	C112_12.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	190-191
87	16.4	22	58	3.0	1.4	7.6	2000	C112_7.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71B6	190-191
88	18.4	20	51	3.3	1.7	20.6	2000	C112_20.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
90	18.8	17	38	4.2	2.3	10.1	2000	C112_10.1	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
99	18.8	19	48	3.8	1.8	10.1	2000	C112_10.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	190-191
106	22.1	16	42	3.7	2.1	17.2	2000	C112_17.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191




## 0.25 kW







$n_{2-1}$ min <sup>-1</sup>	$n_{2'}$ min <sup>-1</sup>	$M_2$ Nm	$M_{2'}$ Nm	S	S'	i	R <sub>n2</sub> N					IEC	
109	20.5	17	46	6.3	2.5	6.1	3330	C212_6.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71B6	192-193
120	25.0	13	29	5.0	2.7	7.6	2000	C112_7.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
132	25.0	14	36	4.5	2.2	7.6	2000	C112_7.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	190-191
136	28.4	13	33	4.3	2.7	13.4	2000	C112_13.4	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
138	26.0	14	36	7.7	2.9	4.8	3080	C212_4.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71B6	192-193
147	31	11	24	5.8	3.0	6.2	1940	C112_6.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
161	31	12	29	5.2	2.4	6.2	1870	C112_6.2	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	190-191
164	31	12	29	9.5	4.0	6.1	2900	C212_6.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	192-193
180	38	10	25	5.1	3.5	10.1	1830	C112_10.1	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
186	39	8	19	6.6	3.6	4.9	1790	C112_4.9	V025 P63	V 0.25 C V 0.25 F	P63	BN63C4	190-191
204	39	9	23	5.9	2.9	4.9	1730	C112_4.9	V05 P71	V 0.5 C V 0.5 F	P71	BN71A4	190-191
239	50	7	19	6.2	4.2	7.6	1680	C112_7.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
294	61	6	15	7.1	4.6	6.2	1550	C112_6.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191
371	78	5	12	8.2	5.5	4.9	1430	C112_4.9	V025 P63	V 0.25 C V 0.25 F	P63	BN63B2	190-191


## 0.37 kW

3.6	0.69	752	2004	2.1	0.8	275.3	16000	C614_275.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	202-203
4.6	0.87	594	1583	2.7	1.0	217.4	16000	C614_217.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	202-203
5.5	1.0	449	897	1.3	0.7	120.6	7000	C413_120.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71C6	198-199
6.5	1.2	381	761	1.6	0.8	102.3	7000	C413_102.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71C6	198-199
8.3	1.6	336	897	1.8	0.7	120.6	7000	C413_120.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199
9.1	1.7	307	819	2.0	0.7	110.1	7000	C413_110.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199
9.8	1.9	285	761	2.1	0.8	102.3	7000	C413_102.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199
11.9	2.3	234	623	1.9	0.7	83.8	6500	C353_83.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	196-197
12.3	2.3	227	606	2.6	1.0	81.5	7000	C413_81.5	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199
13.4	2.6	208	554	2.9	1.1	74.4	7000	C413_74.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199
14.6	2.8	172	344	1.7	0.9	45.3	5500	C312_45.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71C6	194-195
15.6	3.0	179	478	3.3	1.3	64.3	7000	C413_64.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199
17.7	3.4	158	420	2.9	1.1	56.5	6500	C353_56.5	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	196-197
19.4	3.7	144	383	4.2	1.6	51.5	7000	C413_51.5	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199
22.1	4.2	129	344	2.3	0.9	45.3	5500	C312_45.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	194-195
22.3	4.2	128	340	3.9	1.5	44.8	7000	C412_44.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199
27.0	5.1	106	282	4.7	1.8	37.1	7000	C412_37.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199



## 0.37 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
27.2	5.7	95	254	2.2	0.9	66.8	5500	C312_66.8	—	—	P63	BN63C2	194-195
27.7	5.3	103	274	2.9	1.1	36.1	5500	C312_36.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	194-195
32	6.1	89	239	5.6	2.1	31.4	7000	C412_31.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199
33	6.3	76	152	2.6	1.3	20.0	4670	C212_20.0	V05 P71	V 0.5 C V 0.5 F	P71	BN71C6	192-193
34	6.4	84	225	2.4	0.9	29.6	4580	C212_29.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	192-193
40	7.6	71	190	7.0	2.6	25.0	7000	C412_25.0	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	198-199
41	7.8	69	185	2.9	1.1	24.3	4350	C212_24.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	192-193
41	8.7	61	163	7.0	2.8	43.9	6500	C353_43.9	—	—	P63	BN63C2	196-197
42	8.8	62	165	3.0	1.2	43.3	4370	C212_43.3	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	192-193
50	9.5	57	152	3.5	1.3	20.0	4130	C212_20.0	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	192-193
50	10.5	51	137	5.4	2.2	36.1	5500	C312_36.1	—	—	P63	BN63C2	194-195
61	12.8	42	112	4.1	1.8	29.6	3930	C212_29.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	192-193
63	12.0	45	120	4.4	1.7	15.8	3870	C212_15.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	192-193
66	12.4	38	77	1.9	1.1	10.1	2000	C112_10.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71C6	190-191
68	12.9	37	74	4.6	2.7	9.7	3810	C212_9.7	V05 P71	V 0.5 C V 0.5 F	P71	BN71C6	192-193
75	14.2	38	102	2.1	0.9	13.4	2000	C112_13.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	190-191
81	15.3	35	94	5.2	2.1	12.4	3610	C212_12.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	192-193
83	15.7	34	92	2.3	1.0	12.1	2000	C112_12.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	190-191
88	18.4	29	78	2.2	1.1	20.6	2000	C112_20.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	190-191
91	19.0	29	76	5.3	2.6	20.0	3500	C212_20.0	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	192-193
99	18.8	29	77	2.5	1.1	10.1	2000	C112_10.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	190-191
103	19.6	28	74	6.1	2.7	9.7	3350	C212_9.7	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	192-193
106	22.1	25	65	2.4	1.4	17.2	2000	C112_17.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	190-191
109	20.5	23	46	4.7	2.5	6.1	3300	C212_6.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71C6	192-193
117	24.5	22	59	2.6	1.7	15.5	2000	C112_15.5	V05 P63	V 0.25 C V 0.25 F	P63	BN63C2	190-191
132	25.0	22	58	3.0	1.4	7.6	1970	C112_7.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	190-191
136	28.4	19	51	2.9	1.8	13.4	1960	C112_13.4	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	190-191
161	31	18	47	3.5	1.5	6.2	1830	C112_6.2	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	190-191
164	31	17	46	6.3	2.5	6.1	2870	C212_6.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	192-193
180	38	14	38	3.4	2.3	10.1	1800	C112_10.1	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	190-191
204	39	14	37	3.9	1.8	4.9	1700	C112_4.9	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	190-191
239	50	11	29	4.2	2.7	7.6	1660	C112_7.6	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	190-191
270	51	11	28	4.6	2.1	3.7	1560	C112_3.7	V05 P71	V 0.5 C V 0.5 F	P71	BN71B4	190-191
294	61	9	24	4.8	3.0	6.2	1530	C112_6.2	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	190-191
371	78	7	19	5.4	3.6	4.9	1420	C112_4.9	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	190-191




## 0.37 kW







$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N						
492	103	5	14	6.4	4.3	3.7	1300	C112_3.7	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	190-191
650	136	4	11	7.5	5.0	2.8	1190	C112_2.8	V025 P63	V 0.25 C V 0.25 F	P63	BN63C2	190-191

## 0.55 kW


3.4	0.60	1083	2888	2.1	0.8	194.1	25000	C703_194.1	— P80	— V 1 F	P80	BN80B6	204-205
3.6	0.69	1127	2004	1.4	0.8	275.3	16000	C614_275.3	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	202-203
3.7	0.70	1000	2666	2.3	0.9	179.2	25000	C703_179.2	— P80	— V 1 F	P80	BN80B6	204-205
4.2	0.80	976	1735	1.6	0.9	238.3	16000	C614_238.3	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	202-203
4.2	0.80	1001	2671	2.3	0.9	239.3	25000	C703_239.3	— P80	— V 1 F	P80	BN80A4	204-205
4.5	0.90	924	2465	2.4	0.9	220.9	25000	C703_220.9	— P80	— V 1 F	P80	BN80A4	204-205
4.6	0.87	890	1583	1.8	1.0	217.4	16000	C614_217.4	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	202-203
4.8	0.90	767	2045	3.0	1.1	137.4	25000	C703_137.4	— P80	— V 1 F	P80	BN80B6	204-205
5.1	0.97	819	2185	2.0	0.7	195.8	16000	C613_195.8	— P80	— V 1 F	P80	BN80A4	202-203
5.2	1.0	812	2166	2.8	1.1	194.1	25000	C703_194.1	— P80	— V 1 F	P80	BN80A4	204-205
5.6	1.1	747	1993	2.1	0.8	178.6	16000	C613_178.6	— P80	— V 1 F	P80	BN80A4	202-203
5.6	1.1	750	2000	3.1	1.2	179.2	25000	C703_179.2	— P80	— V 1 F	P80	BN80A4	204-205
6.1	1.2	681	1817	3.4	1.3	162.8	25000	C703_162.8	— P80	— V 1 F	P80	BN80A4	204-205
6.4	1.2	578	1542	2.8	1.0	103.6	16000	C613_103.6	— P80	— V 1 F	P80	BN80B6	202-203
6.5	1.2	571	761	1.1	0.8	102.3	7000	C413_102.3	V05 P71	V 0.5 C V 0.5 F	P80	BN80B6	198-199
7.1	1.3	521	694	1.2	0.9	93.3	7000	C413_93.3	V05 P71	V 0.5 C V 0.5 F	P80	BN80B6	198-199
7.4	1.4	563	1502	1.8	0.7	134.6	10000	C513_134.6	— P80	— V 1 F	P80	BN80A4	200-201
7.8	1.5	536	1430	3.0	1.1	128.1	16000	C613_128.1	— P80	— V 1 F	P80	BN80A4	202-203
7.9	1.5	531	1415	4.3	1.6	126.8	25000	C703_126.8	— P80	— V 1 F	P80	BN80A4	204-205
8.0	1.5	463	1235	3.5	1.3	83.0	16000	C613_83.0	— P80	— V 1 F	P80	BN80B6	202-203
8.8	1.7	475	1268	2.1	0.8	113.6	10000	C513_113.6	— P80	— V 1 F	P80	BN80A4	200-201
8.8	1.7	475	1268	3.4	1.3	113.6	16000	C613_113.6	— P80	— V 1 F	P80	BN80A4	202-203
8.9	1.7	415	554	1.4	1.1	74.4	7000	C413_74.4	V05 P71	V 0.5 C V 0.5 F	P80	BN80B6	198-199
9.7	1.8	434	1156	3.7	1.4	103.6	16000	C613_103.6	— P80	— V 1 F	P80	BN80A4	202-203
9.8	1.9	426	1136	2.3	0.9	101.8	10000	C513_101.8	— P80	— V 1 F	P80	BN80A4	200-201
10.3	1.9	359	478	1.7	1.3	64.3	7000	C413_64.3	V05 P71	V 0.5 C V 0.5 F	P80	BN80B6	198-199
11.6	2.2	325	866	2.4	0.9	57.0	10000	C512_57.0	— P80	— V 1 F	P80	BN80B6	200-201
11.7	2.2	315	420	1.4	1.1	56.5	6500	C353_56.5	V05 P71	V 0.5 C V 0.5 F	P80	BN80B6	196-197
12.3	2.3	341	606	1.8	1.0	81.5	7000	C413_81.5	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	198-199
12.3	2.3	341	910	1.8	0.7	81.5	7000	C413_81.5	V1 P80	V 1 C V 1 F	P80	BN80A4	198-199









## 0.55 kW


$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
12.5	2.4	334	892	3.0	1.1	79.9	10000	C513_79.9	— P80	— V 1 F	P80	BN80A4	200-201
13.4	2.6	311	554	1.9	1.1	74.4	7000	C413_74.4	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	198-199
13.4	2.6	311	830	1.9	0.7	74.4	7000	C413_74.4	V1 P80	V 1 C V 1 F	P80	BN80A4	198-199
13.9	2.6	266	708	6.0	2.3	47.6	16000	C613_47.6	— P80	— V 1 F	P80	BN80B6	202-203
14.1	2.7	262	699	2.3	0.9	47.0	7000	C413_47.0	V1 P80	V 1 C V 1 F	P80	BN80B6	198-199
14.1	2.7	296	526	1.5	0.9	70.7	6500	C353_70.7	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	196-197
15.5	2.9	270	721	3.7	1.4	64.6	10000	C513_64.6	— P80	— V 1 F	P80	BN80A4	200-201
15.6	3.0	269	478	2.2	1.3	64.3	7000	C413_64.3	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	198-199
15.6	3.0	269	718	2.2	0.8	64.3	7000	C413_64.3	V1 P80	V 1 C V 1 F	P80	BN80A4	198-199
17.5	3.3	244	650	3.3	1.2	57.0	10000	C512_57.0	— P80	— V 1 F	P80	BN80A4	200-201
17.7	3.4	236	420	1.9	1.1	56.5	6500	C353_56.5	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	196-197
17.9	3.4	211	564	2.4	0.9	37.1	7000	C412_37.1	V1 P80	V 1 C V 1 F	P80	BN80B6	198-199
19.5	3.7	214	571	4.7	1.8	51.2	10000	C513_51.2	— P80	— V 1 F	P80	BN80A4	200-201
19.7	3.7	189	472	2.4	1.0	101.6	6500	C353_101.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	196-197
19.9	3.7	190	508	2.6	1.0	33.4	7000	C412_33.4	V1 P80	V 1 C V 1 F	P80	BN80B6	198-199
22.2	4.2	170	453	4.7	1.8	29.8	10000	C512_29.8	— P80	— V 1 F	P80	BN80B6	200-201
22.3	4.2	192	340	2.6	1.5	44.8	7000	C412_44.8	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	198-199
22.3	4.2	192	511	2.6	1.0	44.8	7000	C412_44.8	V1 P80	V 1 C V 1 F	P80	BN80A4	198-199
26.2	5.0	159	283	2.8	1.6	38.1	6500	C353_38.1	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	196-197
26.2	5.0	159	425	2.8	1.1	38.1	6500	C353_38.1	V1 P80	V 1 C V 1 F	P80	BN80A4	196-197
27.0	5.1	159	423	3.2	1.2	37.1	7000	C412_37.1	V1 P80	V 1 C V 1 F	P80	BN80A4	198-199
32	6.1	131	232	4.6	2.6	31.2	7000	C413_31.2	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	198-199
32	6.1	131	348	4.6	1.7	31.2	7000	C413_31.2	V1 P80	V 1 C V 1 F	P80	BN80A4	198-199
35	6.6	120	214	3.7	2.1	28.7	6500	C353_28.7	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	196-197
35	6.6	120	320	3.7	1.4	28.7	6500	C353_28.7	V1 P80	V 1 C V 1 F	P80	BN80A4	196-197
38	7.3	100	249	3.0	1.2	52.4	5500	C312_52.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	194-195
38	7.3	110	195	4.1	2.3	26.2	6500	C353_26.2	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	196-197
38	7.3	110	292	4.1	1.5	26.2	6500	C353_26.2	V1 P80	V 1 C V 1 F	P80	BN80A4	196-197
40	7.6	107	286	2.8	1.0	25.1	5500	C312_25.1	V1 P80	V 1 C V 1 F	P80	BN80A4	194-195
40	7.6	107	285	4.7	1.8	25.0	7000	C412_25.0	V1 P80	V 1 C V 1 F	P80	BN80A4	198-199
44	8.4	86	215	3.5	1.4	45.3	5500	C312_45.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	194-195
45	8.6	92	164	4.9	2.7	22.1	6500	C353_22.1	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	196-197
45	8.6	92	247	4.9	1.8	22.1	6500	C353_22.1	V1 P80	V 1 C V 1 F	P80	BN80A4	196-197
50	9.5	86	228	2.3	0.9	20.0	3940	C212_20.0	— P80	— V 1 F	P80	BN80A4	192-193
53	10.0	81	217	4.7	1.8	19.0	6500	C352_19.0	V1 P80	V 1 C V 1 F	P80	BN80A4	196-197











## 0.55 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
54	10.3	70	175	2.6	1.1	36.8	3920	C212_36.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	192-193
56	10.6	77	137	2.6	1.5	18.0	3840	C212_18.0	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	192-193
63	12.0	68	180	3.0	1.1	15.8	3720	C212_15.8	— P80	— V 1 F	P80	BN80A4	192-193
63	12.0	68	120	3.0	1.7	15.8	3720	C212_15.8	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	192-193
68	12.8	56	141	3.1	1.4	29.6	3710	C212_29.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	192-193
75	14.2	57	102	1.4	0.9	13.4	2000	C112_13.4	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	190-191
81	15.3	53	141	3.5	1.4	12.4	3500	C212_12.4	— P80	— V 1 F	P80	BN80A4	192-193
82	15.6	46	115	3.5	1.7	24.3	3510	C212_24.3	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	192-193
83	15.7	52	92	1.5	1.0	12.1	2000	C112_12.1	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	190-191
93	17.6	40	108	3.7	1.7	7.1	3390	C212_7.1	— P80	— V 1 F	P80	BN80B6	192-193
96	18.1	39	52	1.6	1.4	6.9	2000	C112_6.9	V05 P71	V 0.5 C V 0.5 F	P80	BN80B6	190-191
100	19.0	38	95	3.9	2.1	20.0	3330	C212_20.0	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	192-193
103	19.6	41	111	4.1	1.8	9.7	3260	C212_9.7	— P80	— V 1 F	P80	BN80A4	192-193
103	19.6	41	74	4.1	2.7	9.7	3260	C212_9.7	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	192-193
110	20.9	39	69	1.8	1.2	9.1	1990	C112_9.1	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	190-191
116	22.1	33	82	1.8	1.1	17.2	1990	C112_17.2	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	190-191
129	24.5	29	74	2.0	1.3	15.5	1930	C112_15.5	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	190-191
139	26.4	31	82	7.6	3.5	7.2	4460	C312_7.2	V1 P80	V 1 C V 1 F	P80	BN80A4	194-195
141	26.8	30	81	4.9	2.2	7.1	2990	C212_7.1	— P80	— V 1 F	P80	BN80A4	192-193
149	28.4	25	64	2.2	1.4	13.4	1860	C112_13.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	190-191
159	30	27	72	6.6	2.8	6.3	4120	C312_6.3	V1 P80	V 1 C V 1 F	P80	BN80A4	194-195
161	31	24	59	5.3	3.4	12.4	2910	C212_12.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	192-193
164	31	26	70	4.2	1.7	6.1	2820	C212_6.1	— P80	— V 1 F	P80	BN80A4	192-193
198	38	19	48	2.6	1.8	10.1	1720	C112_10.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	190-191
204	39	21	37	2.6	1.8	4.9	1650	C112_4.9	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	190-191
206	39	18	46	6.2	4.3	9.7	2670	C212_9.7	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	192-193
208	40	21	55	5.1	1.9	4.8	2630	C212_4.8	— P80	— V 1 F	P80	BN80A4	192-193
263	50	14	36	3.1	2.2	7.6	1580	C112_7.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	190-191
323	61	12	29	3.6	2.4	6.2	1460	C112_6.2	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	190-191
357	68	12	21	3.6	2.5	2.8	1400	C112_2.8	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	190-191
408	78	9	23	4.1	2.9	4.9	1360	C112_4.9	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	190-191
541	103	7	18	4.8	3.4	3.7	1240	C112_3.7	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	190-191
714	136	5	13	5.6	4.0	2.8	1140	C112_2.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	190-191










## 0.75 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	$M_2$ Nm	$M_2'$ Nm	S	S'	i	$R_{n2}$ N						
3.0	0.60	1643	3287	1.4	0.7	220.9	25000	C703_220.9	— P80	— V 1 F	P80	BN80C6	204-205
3.4	0.60	1444	2888	1.6	0.8	194.1	25000	C703_194.1	— P80	— V 1 F	P80	BN80C6	204-205
3.6	0.69	1503	2004	1.1	0.8	275.3	16000	C614_275.3	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	202-203
3.7	0.70	1333	2666	1.7	0.9	179.2	25000	C703_179.2	— P80	— V 1 F	P80	BN80C6	204-205
4.2	0.80	1335	3561	1.7	0.6	239.3	25000	C703_239.3	— P80	— V 1 F	P80	BN80B4	204-205
4.4	0.83	1116	2232	1.4	0.7	150.0	16000	C613_150.0	— P80	— V 1 F	P80	BN80C6	202-203
4.5	0.90	1233	3287	1.8	0.7	220.9	25000	C703_220.9	— P80	— V 1 F	P80	BN80B4	204-205
4.8	0.90	1022	2045	2.2	1.1	137.4	25000	C703_137.4	— P80	— V 1 F	P80	BN80C6	204-205
5.2	0.98	953	1906	1.7	0.8	128.1	16000	C613_128.1	— P80	— V 1 F	P80	BN80C6	202-203
5.2	1.0	1083	2888	2.1	0.8	194.1	25000	C703_194.1	— P80	— V 1 F	P80	BN80B4	204-205
5.6	1.1	1000	2666	2.3	0.9	179.2	25000	C703_179.2	— P80	— V 1 F	P80	BN80B4	204-205
5.8	1.1	845	1690	1.9	0.9	113.6	16000	C613_113.6	— P80	— V 1 F	P80	BN80C6	202-203
6.1	1.2	908	2422	2.5	0.9	162.8	25000	C703_162.8	— P80	— V 1 F	P80	BN80B4	204-205
6.4	1.2	771	1542	2.1	1.0	103.6	16000	C613_103.6	— P80	— V 1 F	P80	BN80C6	202-203
6.7	1.3	837	2232	1.9	0.7	150.0	16000	C613_150.0	— P80	— V 1 F	P80	BN80B4	202-203
6.7	1.3	839	2236	2.7	1.0	150.3	25000	C703_150.3	— P80	— V 1 F	P80	BN80B4	204-205
7.3	1.4	677	1354	2.4	1.2	91.0	16000	C613_91.0	— P80	— V 1 F	P80	BN80C6	202-203
7.3	1.4	767	2045	3.0	1.1	137.4	25000	C703_137.4	— P80	— V 1 F	P80	BN80B4	204-205
7.9	1.5	708	1887	3.3	1.2	126.8	25000	C703_126.8	— P80	— V 1 F	P80	BN80B4	204-205
8.0	1.5	618	1235	2.6	1.3	83.0	16000	C613_83.0	— P80	— V 1 F	P80	BN80C6	202-203
8.3	1.6	594	1189	1.7	0.8	79.9	10000	C513_79.9	— P80	— V 1 F	P80	BN80C6	200-201
8.8	1.7	634	1690	2.5	0.9	113.6	16000	C613_113.6	— P80	— V 1 F	P80	BN80B4	202-203
8.9	1.7	627	1673	3.7	1.4	112.4	25000	C703_112.4	— P80	— V 1 F	P80	BN80B4	204-205
9.7	1.8	578	1542	2.8	1.0	103.6	16000	C613_103.6	— P80	— V 1 F	P80	BN80B4	202-203
9.8	1.9	571	761	1.1	0.8	102.3	7000	C413_102.3	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	198-199
9.8	1.9	568	1515	1.8	0.7	101.8	10000	C513_101.8	— P80	— V 1 F	P80	BN80B4	200-201
11.0	2.1	508	1354	3.2	1.2	91.0	16000	C613_91.0	— P80	— V 1 F	P80	BN80B4	202-203
11.9	2.3	468	623	1.0	0.7	83.8	6500	C353_83.8	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	196-197
12.3	2.3	455	606	1.3	1.0	81.5	7000	C413_81.5	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	198-199
13.7	2.6	407	1085	2.5	0.9	72.9	10000	C513_72.9	— P80	— V 1 F	P80	BN80B4	200-201
14.1	2.7	350	699	1.7	0.9	47.0	7000	C413_47.0	V1 P80	V 1 C V 1 F	P80	BN80C6	198-199
14.1	2.7	395	526	1.1	0.9	70.7	6500	C353_70.7	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	196-197
16.9	3.2	329	878	3.0	1.1	59.0	10000	C513_59.0	— P80	— V 1 F	P80	BN80B4	200-201
17.0	3.2	328	437	1.8	1.4	58.7	7000	C413_58.7	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	198-199
17.0	3.2	328	873	1.8	0.7	58.7	7000	C413_58.7	V1 P80	V 1 C V 1 F	P80	BN80B4	198-199
19.4	3.7	287	383	2.1	1.6	51.5	7000	C413_51.5	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	198-199



## 0.75 kW

$n_{2-1}$ min <sup>-1</sup>	$n_{2'}$ min <sup>-1</sup>	$M_2$ Nm	$M_{2'}$ Nm	S	S'	i	R <sub>n2</sub> N					IEC- 	
19.4	3.7	287	766	2.1	0.8	51.5	7000	C413_51.5	V1 P80	V 1 C V 1 F	P80	BN80B4	198-199
21.3	4.0	262	350	2.3	1.7	47.0	7000	C413_47.0	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	198-199
21.3	4.0	262	699	2.3	0.9	47.0	7000	C413_47.0	V1 P80	V 1 C V 1 F	P80	BN80B4	198-199
24.8	4.7	225	600	2.7	1.0	40.3	7000	C413_40.3	V1 P80	V 1 C V 1 F	P80	BN80B4	198-199
26.2	5.0	213	283	2.1	1.6	38.1	6500	C353_38.1	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	196-197
28.8	5.5	194	258	2.3	1.7	34.7	6500	C353_34.7	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	196-197
28.8	5.5	194	516	2.3	0.9	34.7	6500	C353_34.7	V1 P80	V 1 C V 1 F	P80	BN80B4	196-197
35	6.6	160	214	2.8	2.1	28.7	6500	C353_28.7	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	196-197
35	6.6	160	427	2.8	1.1	28.7	6500	C353_28.7	V1 P80	V 1 C V 1 F	P80	BN80B4	196-197
37	7.1	153	407	2.0	0.7	26.8	5500	C312_26.8	V1 P80	V 1 C V 1 F	P80	BN80B4	194-195
38	7.3	146	195	3.1	2.3	26.2	6500	C353_26.2	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	196-197
38	7.3	146	390	3.1	1.2	26.2	6500	C353_26.2	V1 P80	V 1 C V 1 F	P80	BN80B4	196-197
43	8.0	119	237	2.5	1.3	15.6	5500	C312_15.6	V1 P80	V 1 C V 1 F	P80	BN80C6	194-195
45	8.6	123	329	3.6	1.4	22.1	6500	C353_22.1	V1 P80	V 1 C V 1 F	P80	BN80B4	196-197
50	9.5	114	304	1.8	0.7	20.0	3760	C212_20.0	— P80	— V 1 F	P80	BN80B4	192-193
54	10.3	105	280	1.8	0.7	36.8	3690	C212_36.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	192-193
55	10.5	103	274	2.7	1.1	36.1	5500	C312_36.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	194-195
64	12.2	89	237	3.4	1.3	15.6	5350	C312_15.6	V1 P80	V 1 C V 1 F	P80	BN80B4	194-195
68	12.8	84	225	2.1	0.9	29.6	3520	C212_29.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	192-193
71	13.6	80	213	3.8	1.4	14.0	5190	C312_14.0	V1 P80	V 1 C V 1 F	P80	BN80B4	194-195
80	15.1	72	191	3.5	1.6	25.1	5030	C312_25.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	194-195
81	15.3	71	94	2.6	2.1	12.4	3380	C212_12.4	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	192-193
81	15.4	70	187	4.1	1.6	12.3	5010	C312_12.3	V1 P80	V 1 C V 1 F	P80	BN80B4	194-195
92	17.4	55	109	4.3	2.6	7.2	4860	C312_7.2	V1 P80	V 1 C V 1 F	P80	BN80C6	194-195
97	18.4	59	157	1.1	0.6	20.6	1960	C112_20.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	190-191
100	19.0	57	152	2.6	1.3	20.0	3200	C212_20.0	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	192-193
103	19.6	55	147	3.1	1.4	9.7	3170	C212_9.7	— P80	— V 1 F	P80	BN80B4	192-193
108	20.4	53	141	4.9	2.1	9.3	4620	C312_9.3	V1 P80	V 1 C V 1 F	P80	BN80B4	194-195
115	21.8	50	132	3.3	1.5	8.7	3080	C212_8.7	— P80	— V 1 F	P80	BN80B4	192-193
127	24.1	45	120	3.1	1.7	15.8	3010	C212_15.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	192-193
140	26.6	41	109	3.3	1.8	14.3	2920	C212_14.3	V05 P71	V 0.5 C V 0.5 F	P715	BN71C2	192-193
141	26.8	40	108	3.7	1.7	7.1	2920	C212_7.1	— P80	— V 1 F	P80	BN80B4	192-193
149	28.4	38	102	1.4	0.9	13.4	1780	C112_13.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	190-191
161	31	35	94	3.5	2.1	12.4	2820	C212_12.4	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	192-193
164	31	35	93	3.2	1.3	6.1	2840	C212_6.1	— P80	— V 1 F	P80	BN80B4	192-193
165	31	34	92	1.5	1.0	12.1	1730	C112_12.1	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	190-191




## 0.75 kW







$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	$M_2$ Nm	$M_2'$ Nm	S	S'	i	$R_{n2}$ N						
200	38	29	76	5.7	2.6	5.0	3820	C312_5.0	V1 P80	V 1 C V 1 F	P80	BN80B4	194-195
206	39	28	74	4.2	2.7	9.7	2620	C212_9.7	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	192-193
208	40	27	36	3.8	2.9	4.8	2590	C212_4.8	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	192-193
263	50	22	58	2.1	1.4	7.6	1550	C112_7.6	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	190-191
323	61	18	47	2.4	1.5	6.2	1430	C112_6.2	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	190-191
357	68	16	21	2.7	2.5	2.8	1380	C112_2.8	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	190-191
408	78	14	37	2.7	1.8	4.9	1330	C112_4.9	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	190-191
541	103	11	28	3.2	2.1	3.7	1220	C112_3.7	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	190-191
714	136	8	21	3.8	2.5	2.8	1130	C112_2.8	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	190-191


## 1.1 kW

3.6	0.70	2058	5488	1.9	0.7	184.4	35000	C803_184.4	— P90	— V 2 F	P90	BN90L6	206
3.9	0.70	1886	5029	2.1	0.8	169.0	35000	C803_169.0	— P90	— V 2 F	P90	BN90L6	206
4.4	0.80	1664	4437	2.4	0.9	149.1	35000	C803_149.1	— P90	— V 2 F	P90	BN90L6	206
4.6	0.90	1807	4819	2.2	0.8	215.9	35000	C803_215.9	— P90	— V 2 F	P90	BN90S4	206
4.7	0.98	1430	1906	1.1	0.8	128.1	16000	C613_128.1	— P80	— V 1 F	P90	BN90L6	202-203
4.9	0.90	1526	4068	2.6	1.0	136.7	35000	C803_136.7	— P90	— V 2 F	P90	BN90L6	206
5.1	1.0	1656	4417	2.3	0.9	197.9	35000	C803_197.9	— P90	— V 2 F	P90	BN90S4	206
5.2	1.1	1268	1690	1.3	0.9	113.6	16000	C613_113.6	— P80	— V 1 F	P90	BN90L6	202-203
5.4	1.0	1543	4116	2.6	1.0	184.4	35000	C803_184.4	— P90	— V 2 F	P90	BN90S4	206
5.8	1.2	1156	1542	1.4	1.0	103.6	16000	C613_103.6	— P80	— V 1 F	P90	BN90L6	202-203
5.9	1.1	1415	3772	2.8	1.1	169.0	35000	C803_169.0	— P90	— V 2 F	P90	BN90S4	206
6.7	1.3	1248	3328	3.2	1.2	149.1	35000	C803_149.1	— P90	— V 2 F	P90	BN90S4	206
7.0	1.5	1084	1906	1.5	0.8	128.1	16000	C613_128.1	— P80	— V 1 F	P90	BN90S4	202-203
7.3	1.4	1144	3051	3.5	1.3	136.7	35000	C803_136.7	— P90	— V 2 F	P90	BN90S4	206
7.5	1.6	892	1189	1.1	0.8	79.9	10000	C513_79.9	— P80	— V 1 F	P90	BN90L6	200-201
7.5	1.4	984	2625	2.3	0.9	88.2	25000	C703_88.2	— P90	— V 2 F	P90	BN90L6	204-205
7.9	1.5	1061	2830	2.2	0.8	126.8	25000	C703_126.8	— P90	— V 2 F	P90	BN90S4	204-205
7.9	1.7	961	1690	1.7	0.9	113.6	16000	C613_113.6	— P80	— V 1 F	P90	BN90S4	202-203
8.4	1.6	1000	2667	4.0	1.5	119.5	25000	C803_119.5	— P90	— V 2 F	P90	BN90S4	206
8.7	1.8	877	1542	1.8	1.0	103.6	16000	C613_103.6	— P80	— V 1 F	P90	BN90S4	202-203
8.9	1.7	941	2509	2.4	0.9	112.4	25000	C703_112.4	— P90	— V 2 F	P90	BN90S4	204-205
9.1	1.7	917	2444	4.4	1.6	109.5	35000	C803_109.5	— P90	— V 2 F	P90	BN90S4	206
9.6	1.8	869	2317	2.6	1.0	103.8	25000	C703_103.8	— P90	— V 2 F	P90	BN90S4	204-205









# 1.1 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
9.7	1.8	867	2312	1.8	0.7	103.6	16000	C613_103.6	V2 P90	V 2 C V 2 F	P90	BN90S4	202-203
9.9	2.1	770	1354	2.1	1.2	91.0	16000	C613_91.0	— P80	— V 1 F	P90	BN90S4	202-203
10.1	1.9	735	1961	3.1	1.2	65.9	25000	C703_65.9	— P90	— V 2 F	P90	BN90L6	204-205
11.0	2.1	762	2031	2.1	0.8	91.0	16000	C613_91.0	V2 P90	V 2 C V 2 F	P90	BN90S4	202-203
11.2	2.1	750	2000	3.1	1.2	179.2	25000	C703_179.2	— P80	— V 1 F	P80	BN80B2	204-205
11.3	2.4	676	1189	1.5	0.8	79.9	10000	C513_79.9	— P80	— V 1 F	P90	BN90S4	200-201
11.3	2.2	738	1969	3.1	1.2	88.2	25000	C703_88.2	— P90	— V 2 F	P90	BN90S4	204-205
12.3	2.3	681	1817	3.4	1.3	81.4	25000	C703_81.4	— P90	— V 2 F	P90	BN90S4	204-205
12.3	2.6	617	1085	1.6	0.9	72.9	10000	C513_72.9	— P80	— V 1 F	P90	BN90S4	200-201
12.4	2.3	597	1592	2.7	1.0	53.5	16000	C613_53.5	V2 P90	V 2 C V 2 F	P90	BN90L6	202-203
12.9	2.4	571	1524	1.8	0.7	51.2	10000	C513_51.2	V2 P90	V 2 C V 2 F	P90	BN90L6	200-201
13.3	2.8	511	681	1.0	0.7	44.8	7000	C412_44.8	V1 P80	V 1 C V 1 F	P90	BN90L6	198-199
13.5	2.6	621	1656	2.6	1.0	74.2	16000	C613_74.2	V2 P90	V 2 C V 2 F	P90	BN90S4	202-203
15.3	3.2	499	878	2.0	1.1	59.0	10000	C513_59.0	— P80	— V 1 F	P90	BN90S4	200-201
15.3	3.2	497	873	1.2	0.7	58.7	7000	C413_58.7	V1 P80	V 1 C V 1 F	P90	BN90S4	198-199
15.5	2.9	541	1442	1.8	0.7	64.6	10000	C513_64.6	V2 P90	V 2 C V 2 F	P90	BN90S4	200-201
16.9	3.2	494	1317	2.0	0.8	59.0	10000	C513_59.0	V2 P90	V 2 C V 2 F	P90	BN90S4	200-201
17.1	3.2	490	1308	3.3	1.2	58.6	16000	C613_58.6	V2 P90	V 2 C V 2 F	P90	BN90S4	202-203
17.5	3.7	436	766	1.4	0.8	51.5	7000	C413_51.5	V1 P80	V 1 C V 1 F	P90	BN90S4	198-199
18.7	3.6	448	1194	3.6	1.3	53.5	16000	C613_53.5	V2 P90	V 2 C V 2 F	P90	BN90S4	202-203
19.0	4.0	358	477	1.4	1.0	31.4	7000	C412_31.4	V1 P80	V 1 C V 1 F	P90	BN90L6	198-199
19.3	4.1	395	695	2.5	1.4	46.7	10000	C513_46.7	— P80	— V 1 F	P90	BN90S4	200-201
21.4	4.1	391	1042	2.6	1.0	46.7	10000	C513_46.7	V2 P90	V 2 C V 2 F	P90	BN90S4	200-201
21.8	4.6	306	408	3.3	2.5	27.4	10000	C513_27.4	— P80	— V 1 F	P90	BN90L6	200-201
23.2	4.4	369	983	2.2	0.8	43.1	10000	C512_43.1	V2 P90	V 2 C V 2 F	P90	BN90S4	200-201
23.3	4.4	318	848	1.9	0.7	28.5	7000	C413_28.5	V2 P90	V 2 C V 2 F	P90	BN90L6	198-199
24.8	4.7	345	921	2.3	0.9	40.4	10000	C512_40.4	V2 P90	V 2 C V 2 F	P90	BN90S4	200-201
25.9	5.5	294	516	1.5	0.9	34.7	6500	C353_34.7	V1 P80	V 1 C V 1 F	P90	BN90S4	196-197
26.3	5.0	325	866	4.2	1.6	38.0	16000	C612_38.0	V2 P90	V 2 C V 2 F	P90	BN90S4	202-203
26.5	5.0	285	760	1.8	0.7	25.0	7000	C412_25.0	V2 P90	V 2 C V 2 F	P90	BN90L6	198-199
30	5.8	282	752	2.8	1.1	33.0	10000	C512_33.0	V2 P90	V 2 C V 2 F	P90	BN90S4	200-201
31	5.9	269	718	2.1	0.8	64.3	7000	C413_64.3	V1 P80	V 1 C V 1 F	P80	BN80B2	198-199
32	6.1	268	716	1.9	0.7	31.4	7000	C412_31.4	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
35	6.7	242	645	2.1	0.8	28.3	7000	C412_28.3	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
39	7.3	221	591	3.6	1.4	25.9	10000	C512_25.9	V2 P90	V 2 C V 2 F	P90	BN90S4	200-201



# 1.1 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N						
40	7.6	214	570	2.3	0.9	25.0	7000	C412_25.0	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
41	8.6	187	329	2.4	1.4	22.1	6430	C353_22.1	V1 P80	V 1 C V 1 F	P90	BN90S4	196-197
42	7.9	180	480	2.8	1.0	15.8	7000	C412_15.8	V2 P90	V 2 C V 2 F	P90	BN90L6	198-199
43	8.1	200	534	4.0	1.5	23.4	10000	C512_23.4	V2 P90	V 2 C V 2 F	P90	BN90S4	200-201
45	8.4	169	450	2.3	0.8	14.8	6500	C352_14.8	— P90	— V 2 F	P90	BN90L6	196-197
48	9.0	180	479	4.5	1.7	21.0	10000	C512_21.0	V2 P90	V 2 C V 2 F	P90	BN90S4	200-201
50	9.4	169	451	2.7	1.0	20.2	6270	C353_20.2	— P90	— V 2 F	P90	BN90S4	196-197
51	9.6	169	451	3.0	1.1	19.8	7000	C412_19.8	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
53	10.1	141	377	3.5	1.3	12.4	7000	C412_12.4	V2 P90	V 2 C V 2 F	P90	BN90L6	198-199
54	10.2	159	423	3.0	1.2	37.1	7000	C412_37.1	V1 P80	V 1 C V 1 F	P80	BN80B2	198-199
60	11.4	142	378	5.6	2.1	16.6	10000	C512_16.6	V2 P90	V 2 C V 2 F	P90	BN90S4	200-201
63	11.9	120	319	3.2	1.2	10.5	5970	C352_10.5	— P90	— V 2 F	P90	BN90L6	196-197
63	12.0	135	360	3.7	1.4	15.8	6900	C412_15.8	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
67	12.8	127	340	2.1	0.9	29.8	5060	C312_29.8	V1 P80	V 1 C V 1 F	P80	BN80B2	194-195
70	13.4	121	324	4.1	1.5	14.2	6700	C412_14.2	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
71	13.4	106	283	2.5	1.1	9.3	5060	C312_9.3	— P90	— V 2 F	P90	BN90L6	194-195
80	15.1	107	286	2.3	1.0	25.1	4850	C312_25.1	V1 P80	V 1 C V 1 F	P80	BN80B2	194-195
81	15.3	106	283	4.7	1.8	12.4	6700	C412_12.4	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
93	17.6	81	216	5.1	2.3	7.1	6240	C412_7.1	V2 P90	V 2 C V 2 F	P90	BN90L6	198-199
100	18.9	86	229	2.7	1.3	20.1	4570	C312_20.1	V1 P80	V 1 C V 1 F	P80	BN80B2	194-195
101	19.2	85	226	4.5	2.2	19.8	6050	C412_19.8	V1 P80	V 1 C V 1 F	P80	BN80B2	198-199
104	19.8	82	219	5.5	2.3	9.6	6000	C412_9.6	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
108	20.4	80	212	3.3	1.4	9.3	4480	C312_9.3	— P90	— V 2 F	P90	BN90S4	194-195
111	20.8	68	182	3.8	1.4	6.0	5800	C412_6.0	V2 P90	V 2 C V 2 F	P90	BN90L6	198-199
127	24.1	68	180	2.1	1.1	15.8	2860	C212_15.8	— P80	— V 1 F	P80	BN80B2	192-193
128	24.4	67	178	3.2	1.7	15.6	4270	C312_15.6	V1 P80	V 1 C V 1 F	P80	BN80B2	194-195
139	26.4	62	164	3.8	1.7	7.2	4170	C312_7.2	— P90	— V 2 F	P90	BN90S4	194-195
140	26.6	61	163	2.2	1.2	14.3	2790	C212_14.3	— P80	— V 1 F	P80	BN80B2	192-193
141	26.8	61	162	6.8	3.1	7.1	5500	C412_7.1	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
159	30	54	144	3.3	1.4	6.3	3950	C312_6.3	— P90	— V 2 F	P90	BN90S4	194-195
161	31	53	141	2.4	1.4	12.4	2700	C212_12.4	— P80	— V 1 F	P80	BN80B2	192-193
163	31	53	140	3.7	2.1	12.3	3990	C312_12.3	V1 P80	V 1 C V 1 F	P80	BN80B2	194-195
167	32	51	137	5.1	1.9	6.0	5200	C412_6.0	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
200	38	43	114	3.8	1.7	5.0	3700	C312_5	— P90	— V 2 F	P90	BN90S4	194-195
206	39	41	111	2.8	1.8	9.7	2530	C212_9.7	— P80	— V 1 F	P80	BN80B2	192-193




## 1.1 kW







$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	$M_2$ Nm	$M_2'$ Nm	$S$	$S'$	$i$	$R_{n2}$ N						
213	40	40	107	6.5	2.4	4.7	5000	C412_4.7	V2 P90	V 2 C V 2 F	P90	BN90S4	198-199
215	41	40	106	4.4	2.8	9.3	3670	C312_9.3	V1 P80	V 1 C V 1 F	P80	BN80B2	194-195
278	53	31	82	5.2	3.5	7.2	3400	C312_7.2	V1 P80	V 1 C V 1 F	P80	BN80B2	194-195
282	54	30	81	3.5	2.2	7.1	2330	C212_7.1	— P80	— V 1 F	P80	BN80B2	192-193
317	60	27	72	5.6	2.8	6.3	3230	C312_6.3	V1 P80	V 1 C V 1 F	P80	BN80B2	194-195
328	62	26	70	3.3	1.7	6.1	2210	C212_6.1	— P80	— V 1 F	P80	BN80B2	192-193
400	76	21	57	6.3	3.5	5.0	3020	C312_5.0	V1 P80	V 1 C V 1 F	P80	BN80B2	194-195
417	79	21	55	3.9	1.9	4.8	2060	C212_4.8	— P80	— V 1 F	P80	BN80B2	192-193
541	103	16	28	2.1	2.1	3.7	1190	C112_3.7	V05 P71	V 0.5 C V 0.5 F	P80	BN80B2	190-191
541	103	16	42	7.6	4.1	3.7	2760	C312_3.7	V1 P80	V 1 C V 1 F	P80	BN80B2	194-195
714	136	12	21	2.5	2.5	2.8	1100	C112_2.8	V05 P71	V 0.5 C V 0.5 F	P80	BN80B2	190-191
741	141	12	31	5.6	3.2	2.7	1750	C212_2.7	— P80	— V 1 F	P80	BN80B2	192-193

## 1.5 kW


3.1	0.60	3213	7028	1.2	0.6	215.9	35000	C803_215.9	— P90	— V 2 F	P90	BN100LA6R	206
3.4	0.60	2945	6442	1.3	0.6	197.9	35000	C803_197.9	— P90	— V 2 F	P90	BN100LA6R	206
3.6	0.70	2744	6002	1.5	0.7	184.4	35000	C803_184.4	— P90	— V 2 F	P90	BN100LA6R	206
3.9	0.70	2515	5501	1.6	0.7	169.0	35000	C803_169.0	— P90	— V 2 F	P90	BN100LA6R	206
4.4	0.80	2219	4853	1.8	0.8	149.1	35000	C803_149.1	— P90	— V 2 F	P90	BN100LA6R	206
4.9	0.90	2034	4450	2.0	0.9	136.7	35000	C803_136.7	— P90	— V 2 F	P90	BN100LA6R	206
5.4	1.0	2058	5488	1.9	0.7	184.4	35000	C803_184.4	— P90	— V 2 F	P90	BN90LA4	206
5.9	1.1	1886	5029	2.1	0.8	169.0	35000	C803_169.0	— P90	— V 2 F	P90	BN90LA4	206
6.0	1.3	1674	2232	1.0	0.7	150.0	16000	C613_150.0	— P80	— V 1 F	P90	BN90LA4	202-203
6.1	1.1	1629	3564	2.5	1.1	109.5	35000	C803_109.5	— P90	— V 2 F	P90	BN100LA6R	206
6.7	1.3	1664	4437	2.4	0.9	149.1	35000	C803_149.1	— P90	— V 2 F	P90	BN90LA4	206
6.8	1.3	1449	3170	2.8	1.3	97.4	35000	C803_97.4	— P90	— V 2 F	P90	BN100LA6R	206
7.3	1.4	1526	4068	2.6	1.0	136.7	35000	C803_136.7	— P90	— V 2 F	P90	BN90LA4	206
8.0	1.5	1235	2702	1.3	0.6	83.0	16000	C613_83.0	V2 P90	V 2 C V 2 F	P90	BN100LA6R	202-203
8.4	1.6	1335	3561	1.7	0.6	239.3	25000	C703_239.3	— P80	— V 1 F	P80	BN80C2	204-205
8.4	1.6	1334	3556	3.0	1.1	119.5	35000	C803_119.5	— P90	— V 2 F	P90	BN90LA4	206
9.1	1.7	1233	3287	1.8	0.7	220.9	25000	C703_220.9	— P80	— V 1 F	P80	BN80C2	204-205
9.1	1.7	1222	3259	3.3	1.2	109.5	35000	C803_109.5	— P90	— V 2 F	P90	BN90LA4	206
9.3	1.8	1061	2321	2.2	1.0	71.3	25000	C703_71.3	— P90	— V 2 F	P90	BN100LA6R	204-205









# 1.5 kW


$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
9.8	1.8	1007	2204	1.6	0.7	67.7	16000	<b>C613_67.7</b>	V2 P90	V 2 C V 2 F	P90	BN100LA6R	202-203
10.3	2.0	1083	2888	2.1	0.8	194.1	25000	<b>C703_194.1</b>	— P80	— V 1 F	P80	BN80C2	204-205
10.3	2.0	1087	2899	3.7	1.4	97.4	35000	<b>C803_97.4</b>	— P90	— V 2 F	P90	BN90LA4	206
11.2	2.1	997	2658	4.0	1.5	89.3	35000	<b>C803_89.3</b>	— P90	— V 2 F	P90	BN90LA4	206
11.3	2.2	984	2625	2.3	0.9	88.2	25000	<b>C703_88.2</b>	— P90	— V 2 F	P90	BN90LA4	204-205
11.7	2.2	841	1839	2.7	1.3	56.5	25000	<b>C703_56.5</b>	— P90	— V 2 F	P90	BN100LA6R	204-205
12.1	2.6	828	1104	1.9	1.4	74.2	16000	<b>C613_74.2</b>	— P80	— V 1 F	P90	BN90LA4	202-203
12.3	2.3	908	2422	2.5	0.9	81.4	25000	<b>C703_81.4</b>	— P90	— V 2 F	P90	BN90LA4	204-205
12.4	2.3	796	1741	2.0	0.9	53.5	16000	<b>C613_53.5</b>	V2 P90	V 2 C V 2 F	P90	BN100LA6R	202-203
13.0	2.5	858	2289	4.7	1.7	76.9	35000	<b>C803_76.9</b>	— P90	— V 2 F	P90	BN90LA4	206
13.3	2.5	839	2236	2.7	1.0	150.3	25000	<b>C703_150.3</b>	— P80	— V 1 F	P80	BN80C2	204-205
13.9	2.6	708	1549	2.3	1.0	47.6	16000	<b>C613_47.6</b>	V2 P90	V 2 C V 2 F	P90	BN100LA6R	202-203
14.0	2.7	796	2122	2.9	1.1	71.3	25000	<b>C703_71.3</b>	— P90	— V 2 F	P90	BN90LA4	204-205
14.2	2.7	787	2098	5.1	1.9	70.5	35000	<b>C803_70.5</b>	— P90	— V 2 F	P90	BN90LA4	206
15.2	2.9	735	1961	3.1	1.2	65.9	25000	<b>C703_65.9</b>	— P90	— V 2 F	P90	BN90LA4	204-205
16.0	3.0	698	1860	5.7	2.2	62.5	35000	<b>C803_62.5</b>	— P90	— V 2 F	P90	BN90LA4	206
17.1	3.2	654	1744	2.4	0.9	58.6	16000	<b>C613_58.6</b>	V2 P90	V 2 C V 2 F	P90	BN90LA4	202-203
17.7	3.4	631	1681	3.6	1.4	56.5	25000	<b>C703_56.5</b>	— P90	— V 2 F	P90	BN90LA4	204-205
18.7	3.6	597	1592	2.7	1.0	53.5	16000	<b>C613_53.5</b>	V2 P90	V 2 C V 2 F	P90	BN90LA4	202-203
19.1	4.0	525	699	1.1	0.9	47.0	7000	<b>C413_47.0</b>	V1 P80	V 1 C V 1 F	P90	BN90LA4	198-199
19.2	3.6	583	1553	3.9	1.5	52.2	25000	<b>C703_52.2</b>	— P90	— V 2 F	P90	BN90LA4	204-205
20.1	4.2	511	681	1.0	0.7	44.8	7000	<b>C412_44.8</b>	V1 P80	V 1 C V 1 F	P90	BN90LA4	198-199
21.0	4.0	531	1417	3.0	1.1	47.6	16000	<b>C613_47.6</b>	V2 P90	V 2 C V 2 F	P90	BN90LA4	202-203
22.4	4.3	499	1330	4.6	1.7	44.7	25000	<b>C703_44.7</b>	— P90	— V 2 F	P90	BN90LA4	204-205
23.0	4.4	484	1292	3.3	1.2	43.4	16000	<b>C613_43.4</b>	V2 P90	V 2 C V 2 F	P90	BN90LA4	202-203
23.2	4.4	491	1310	1.6	0.6	43.1	10000	<b>C512_43.1</b>	V2 P90	V 2 C V 2 F	P90	BN90LA4	200-201
24.2	4.6	461	1229	5.0	1.9	41.3	25000	<b>C703_41.3</b>	— P90	— V 2 F	P90	BN90LA4	204-205
24.5	4.7	455	1213	1.3	0.5	81.5	10000	<b>C413_81.5</b>	V1 P80	V 1 C V 1 F	P80	BN80C2	198-199
25.6	4.8	394	861	2.0	0.9	25.9	10000	<b>C512_25.9</b>	V2 P90	V 2 C V 2 F	P90	BN100LA6R	200-201
26.3	5.0	433	1155	3.1	1.2	38.0	16000	<b>C612_38.0</b>	V2 P90	V 2 C V 2 F	P90	BN90LA4	202-203
26.7	5.0	377	825	3.6	1.6	24.8	16000	<b>C612_24.8</b>	V2 P90	V 2 C V 2 F	P90	BN100LA6R	202-203
27.4	5.2	407	1085	2.5	0.9	72.9	10000	<b>C513_72.9</b>	— P80	— V 1 F	P80	BN80C2	200-201
30	5.8	376	1003	2.1	0.8	33.0	10000	<b>C512_33.0</b>	V2 P90	V 2 C V 2 F	P90	BN90LA4	200-201
32	6.0	319	698	2.5	1.1	21.0	10000	<b>C512_21.0</b>	V2 P90	V 2 C V 2 F	P90	BN100LA6R	200-201
33	6.3	347	924	3.9	1.5	30.4	16000	<b>C612_30.4</b>	V2 P90	V 2 C V 2 F	P90	BN90LA4	202-203
35	6.7	318	848	1.9	0.7	28.5	7000	<b>C413_28.5</b>	V2 P90	V 2 C V 2 F	P90	BN90LA4	198-199











# 1.5 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
35	6.7	325	866	2.3	0.9	57.0	10000	C512_57.0	—	—	P80	BN80C2	200-201
39	7.3	295	787	2.7	1.0	25.9	10000	C512_25.9	V2 P90	V 2 C V 2 F	P90	BN90LA4	200-201
40	7.7	283	754	4.8	1.8	24.8	16000	C612_24.8	V2 P90	V 2 C V 2 F	P90	BN90LA4	202-203
42	7.9	240	525	2.1	1.0	15.8	7000	C412_15.8	V2 P90	V 2 C V 2 F	P90	BN100LA6R	198-199
48	9.0	239	638	3.3	1.3	21.0	10000	C512_21.0	V2 P90	V 2 C V 2 F	P90	BN90LA4	200-201
51	9.6	226	602	2.2	0.8	19.8	7000	C412_19.8	V2 P90	V 2 C V 2 F	P90	BN90LA4	198-199
51	9.5	199	436	4.0	1.8	13.1	10000	C512_13.1	V2 P90	V 2 C V 2 F	P90	BN100LA6R	200-201
51	9.7	223	596	6.0	2.3	19.6	16000	C612_19.6	V2 P90	V 2 C V 2 F	P90	BN90LA4	202-203
54	10.2	211	564	2.2	0.9	37.1	6930	C412_37.1	V1 P80	V 1 C V 1 F	P80	BN80C2	198-199
60	11.4	189	505	4.2	1.6	16.6	10000	C512_16.6	V2 P90	V 2 C V 2 F	P90	BN90LA4	200-201
61	11.5	188	502	4.1	1.6	33.0	10000	C512_33.0	— P80	— V 1 F	P80	BN80C2	200-201
63	12.0	180	480	2.8	1.0	15.8	6670	C412_15.8	V2 P90	V 2 C V 2 F	P90	BN90LA4	198-199
64	12.1	179	477	2.5	1.0	31.4	6660	C412_31.4	V1 P80	V 1 C V 1 F	P80	BN80C2	198-199
67	12.7	171	456	4.7	1.8	15.0	10000	C512_15.0	V2 P90	V 2 C V 2 F	P90	BN90LA4	200-201
68	12.8	169	450	2.3	0.8	14.8	5590	C352_14.8	— P90	— V 2 F	P90	BN90LA4	196-197
70	13.4	162	432	3.1	1.2	14.2	6490	C412_14.2	V2 P90	V 2 C V 2 F	P90	BN90LA4	198-199
76	14.5	149	398	5.4	2.0	13.1	10000	C512_13.1	V2 P90	V 2 C V 2 F	P90	BN90LA4	200-201
80	15.1	143	382	1.7	0.8	25.1	4670	C312_25.1	V1 P80	V 1 C V 1 F	P80	BN80C2	194-195
81	15.3	141	377	3.5	1.3	12.4	6270	C412_12.4	V2 P90	V 2 C V 2 F	P90	BN90LA4	198-199
93	17.6	108	236	3.8	2.1	7.1	6100	C412_7.1	V2 P90	V 2 C V 2 F	P90	BN100LA6R	198-199
95	18.1	120	319	3.2	1.2	10.5	5130	C352_10.5	— P90	— V 2 F	P90	BN90LA4	196-197
100	18.9	115	306	2.1	1.0	20.1	4430	C312_20.1	V1 P80	V 1 C V 1 F	P80	BN80C2	194-195
104	19.8	109	292	4.1	1.7	9.6	5860	C412_9.6	V2 P90	V 2 C V 2 F	P90	BN90LA4	198-199
105	20.0	108	289	3.5	1.3	19.0	5100	C352_19.0	V1 P80	V 1 C V 1 F	P80	BN80C2	196-197
108	20.4	106	283	2.5	1.1	9.3	4340	C312_9.3	— P90	— V 2 F	P90	BN90LA4	194-195
127	24.1	90	240	1.6	0.8	15.8	2710	C212_15.8	— P80	— V 1 F	P80	BN80C2	192-193
128	24.4	89	237	2.4	1.3	15.6	4150	C312_15.6	V1 P80	V 1 C V 1 F	P80	BN80C2	194-195
139	26.4	82	219	2.9	1.3	7.2	4060	C312_7.2	— P90	— V 2 F	P90	BN90LA4	194-195
141	26.8	81	216	5.1	2.3	7.1	5500	C412_7.1	V2 P90	V 2 C V 2 F	P90	BN90LA4	198-199
159	30	72	192	2.5	1.0	6.3	3840	C312_6.3	— P90	— V 2 F	P90	BN90LA4	194-195
163	31	70	187	2.8	1.6	12.3	3900	C312_12.3	V1 P80	V 1 C V 1 F	P80	BN80C2	194-195
167	32	68	182	3.8	1.4	6.0	5000	C412_6.0	V2 P90	V 2 C V 2 F	P90	BN90LA4	198-199
200	38	57	152	2.8	1.3	5.0	3610	C312_5.0	— P90	— V 2 F	P90	BN90LA4	194-195
206	39	55	147	2.1	1.4	9.7	2440	C212_9.7	— P80	— V 1 F	P80	BN80C2	192-193
213	40	54	143	4.9	1.8	4.7	4670	C412_4.7	V2 P90	V 2 C V 2 F	P90	BN90LA4	198-199
215	41	53	141	3.3	2.1	9.3	3610	C312_9.3	V1 P80	V 1 C V 1 F	P80	BN80C2	194-195




## 1.5 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	$M_2$ Nm	$M_2'$ Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
278	53	41	109	3.9	2.6	7.2	3340	C312_7.2	V1 P80	V 1 C V 1 F	P80	BN80C2	194-195
282	54	40	108	2.6	1.7	7.1	2270	C212_7.1	— P80	— V 1 F	P80	BN80C2	192-193
317	60	36	96	4.2	2.1	6.3	3240	C312_6.3	V1 P80	V 1 C V 1 F	P80	BN80C2	194-195
328	62	35	93	2.4	1.3	6.1	2140	C212_6.1	— P80	— V 1 F	P80	BN80C2	192-193
417	79	27	73	2.9	1.4	4.8	2010	C212_4.8	— P80	— V 1 F	P80	BN80C2	192-193
541	103	21	56	3.3	1.9	3.7	1880	C212_3.7	— P80	— V 1 F	P80	BN80C2	192-193

## 1.85 kW

4.6	0.90	2811	7028	1.4	0.6	215.9	35000	C803_215.9	— P90	— V 2 F	P90	BN90LB4	206
5.1	1.0	2577	6442	1.5	0.6	197.9	35000	C803_197.9	— P90	— V 2 F	P90	BN90LB4	206
5.4	1.0	2401	6002	1.7	0.7	184.4	35000	C803_184.4	— P90	— V 2 F	P90	BN90LB4	206
5.9	1.1	2200	5501	1.8	0.7	169.0	35000	C803_169.0	— P90	— V 2 F	P90	BN90LB4	206
6.7	1.3	1941	4853	2.1	0.8	149.1	35000	C803_149.1	— P90	— V 2 F	P90	BN90LB4	206
7.3	1.4	1780	4450	2.2	0.9	136.7	35000	C803_136.7	— P90	— V 2 F	P90	BN90LB4	206
8.4	1.6	1556	3890	2.6	1.0	119.5	35000	C803_119.5	— P90	— V 2 F	P90	BN90LB4	206
9.1	1.7	1426	3564	2.8	1.1	109.5	35000	C803_109.5	— P90	— V 2 F	P90	BN90LB4	206
10.3	2.0	1268	3170	3.2	1.3	97.4	35000	C803_97.4	— P90	— V 2 F	P90	BN90LB4	206
11.2	2.1	1163	2907	3.4	1.4	89.3	35000	C803_89.3	— P90	— V 2 F	P90	BN90LB4	206
12.3	2.3	1060	2650	2.2	0.9	81.4	25000	C703_81.4	— P90	— V 2 F	P90	BN90LB4	204-205
14.0	2.7	928	2321	2.5	1.0	71.3	25000	C703_71.3	— P90	— V 2 F	P90	BN90LB4	204-205
14.2	2.7	918	2295	4.4	1.7	70.5	35000	C803_70.5	— P90	— V 2 F	P90	BN90LB4	206
15.2	2.9	858	2145	2.7	1.1	65.9	25000	C703_65.9	— P90	— V 2 F	P90	BN90LB4	204-205
16.0	3.0	814	2034	4.9	2.0	62.5	35000	C803_62.5	— P90	— V 2 F	P90	BN90LB4	206
17.5	3.3	746	1865	5.4	2.1	57.3	35000	C803_57.3	— P90	— V 2 F	P90	BN90LB4	206
17.7	3.4	736	1839	3.1	1.3	56.5	25000	C703_56.5	— P90	— V 2 F	P90	BN90LB4	204-205
18.7	3.6	697	1741	2.3	0.9	53.5	16000	C613_53.5	V2 P90	V 2 C V 2 F	P90	BN90LB4	202-203
21.0	4.0	620	1549	2.6	1.0	47.6	16000	C613_47.6	V2 P90	V 2 C V 2 F	P90	BN90LB4	202-203
22.4	4.3	582	1455	4.0	1.6	44.7	25000	C703_44.7	— P90	— V 2 F	P90	BN90LB4	204-205
24.2	4.6	538	1344	4.3	1.7	41.3	25000	C703_41.3	— P90	— V 2 F	P90	BN90LB4	204-205
26.3	5.0	505	1264	2.7	1.1	38.0	16000	C612_38.0	V2 P90	V 2 C V 2 F	P90	BN90LB4	202-203
33	6.3	404	1011	3.3	1.3	30.4	16000	C612_30.4	V2 P90	V 2 C V 2 F	P90	BN90LB4	202-203
39	7.3	344	861	2.3	0.9	25.9	10000	C512_25.9	V2 P90	V 2 C V 2 F	P90	BN90LB4	200-201




## 1.85 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	$M_2$ Nm	$M_2'$ Nm	<b>S</b>	<b>S'</b>	<b>i</b>	$R_{n2}$ N						
40	7.7	330	825	4.1	1.6	24.8	16000	<b>C612_24.8</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	202-203
48	9.0	279	698	2.9	1.1	21.0	10000	<b>C512_21.0</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	200-201
51	9.6	263	658	1.9	0.8	19.8	6840	<b>C412_19.8</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	198-199
51	9.7	261	652	5.2	2.1	19.6	16000	<b>C612_19.6</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	202-203
60	11.4	221	552	3.6	1.4	16.6	10000	<b>C512_16.6</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	200-201
63	11.9	211	529	6.4	2.6	15.9	16000	<b>C612_15.9</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	202-203
63	12.0	210	525	2.4	1.0	15.8	6520	<b>C412_15.8</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	198-199
76	14.5	174	436	4.6	1.8	13.1	10000	<b>C512_13.1</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	200-201
81	15.3	165	412	3.0	1.2	12.4	6160	<b>C412_12.4</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	198-199
102	19.4	130	326	6.1	2.5	9.8	10000	<b>C512_9.8</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	200-201
104	19.8	128	319	3.5	1.6	9.6	5770	<b>C412_9.6</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	198-199
108	20.4	124	309	2.1	1.0	9.3	4250	<b>C312_9.3</b>	— P90	— V 2 F	<b>P90</b>	<b>BN90LB4</b>	194-195
139	26.4	96	239	2.5	1.2	7.2	3990	<b>C312_7.2</b>	— P90	— V 2 F	<b>P90</b>	<b>BN90LB4</b>	194-195
141	26.8	94	236	4.4	2.1	7.1	5320	<b>C412_7.1</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	198-199
159	30	84	209	2.1	1.0	6.3	3770	<b>C312_6.3</b>	— P90	— V 2 F	<b>P90</b>	<b>BN90LB4</b>	194-195
167	32	80	200	3.3	1.3	6.0	4920	<b>C412_6.0</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	198-199
200	38	67	166	2.4	1.2	5.0	3550	<b>C312_5.0</b>	— P90	— V 2 F	<b>P90</b>	<b>BN90LB4</b>	194-195
213	40	63	156	4.2	1.7	4.7	4610	<b>C412_4.7</b>	<b>V2</b> P90	<b>V 2 C</b> V 2 F	<b>P90</b>	<b>BN90LB4</b>	198-199
270	51	49	123	3.1	1.4	3.7	3300	<b>C312_3.7</b>	— P90	— V 2 F	<b>P90</b>	<b>BN90LB4</b>	194-195
345	66	39	96	3.9	1.6	2.9	3070	<b>C312_2.9</b>	— P90	— V 2 F	<b>P90</b>	<b>BN90LB4</b>	194-195


## 2.2 kW

3.9	0.70	3841	8963	1.9	0.8	172.1	60000	<b>C903_172.1</b>	— P100	— V 3 F	<b>P100</b>	<b>BN112M6</b>	207
4.2	0.80	3522	8218	2.0	0.9	157.8	60000	<b>C903_157.8</b>	— P100	— V 3 F	<b>P100</b>	<b>BN112M6</b>	207
4.9	0.90	3051	7119	1.3	0.6	136.7	35000	<b>C803_136.7</b>	— P100	— V 3 F	<b>P100</b>	<b>BN112M6</b>	206
4.9	0.90	2993	6984	2.4	1.0	134.1	60000	<b>C903_134.1</b>	— P100	— V 3 F	<b>P100</b>	<b>BN112M6</b>	207
5.5	1.0	2667	6224	1.5	0.6	119.5	35000	<b>C803_119.5</b>	— P100	— V 3 F	<b>P100</b>	<b>BN112M6</b>	206
5.8	1.1	2561	6402	2.8	1.1	172.1	60000	<b>C903_172.1</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	207
6.1	1.1	2444	5703	1.6	0.7	109.5	35000	<b>C803_109.5</b>	— P100	— V 3 F	<b>P100</b>	<b>BN112M6</b>	206
6.3	1.2	2348	5870	3.0	1.2	157.8	60000	<b>C903_157.8</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	207
6.8	1.3	2174	5073	1.8	0.8	97.4	35000	<b>C803_97.4</b>	— P100	— V 3 F	<b>P100</b>	<b>BN112M6</b>	206
6.8	1.3	2201	5442	3.3	1.3	146.3	60000	<b>C903_146.3</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	207
7.3	1.4	2034	5085	2.0	0.8	136.7	35000	<b>C803_136.7</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	206










## 2.2 kW

n <sub>2</sub> min <sup>-1</sup>	n <sub>2</sub> ' min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2</sub> ' Nm	S	S'	i	R <sub>n2</sub> N						
7.4	1.4	1993	4651	2.0	0.9	89.3	35000	<b>C803_89.3</b>	— P100	— V 3 F	<b>P100</b>	<b>BN112M6</b>	206
7.5	1.4	1995	4989	3.6	1.4	134.1	60000	<b>C903_134.1</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	207
8.1	1.5	1817	4239	1.3	0.5	81.4	25000	<b>C703_81.4</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN112M6</b>	204-205
8.4	1.6	1778	4445	2.2	0.9	119.5	35000	<b>C803_119.5</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	206
8.6	1.6	1716	4005	2.3	1.0	76.9	35000	<b>C803_76.9</b>	— P100	— V 3 F	<b>P100</b>	<b>BN112M6</b>	206
9.1	1.7	1629	4073	2.5	1.0	109.5	35000	<b>C803_109.5</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	206
9.3	1.8	1591	3713	1.4	0.6	71.3	25000	<b>C703_71.3</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN112M6</b>	204-205
9.3	1.8	1592	3980	4.5	1.8	107.0	60000	<b>C903_107.0</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	207
10.1	1.9	1471	3432	1.6	0.7	65.9	25000	<b>C703_65.9</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN112M6</b>	204-205
10.3	2.0	1449	3623	2.8	1.1	97.4	35000	<b>C803_97.4</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	206
10.4	2.0	1431	3579	5.0	2.0	96.2	60000	<b>C903_96.2</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	207
11.2	2.1	1329	3322	3.0	1.2	89.3	35000	<b>C803_89.3</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	206
11.3	2.2	1312	3281	1.8	0.7	88.2	25000	<b>C703_88.2</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	204-205
11.7	2.2	1261	2943	1.8	0.8	56.5	25000	<b>C703_56.5</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN112M6</b>	204-205
12.3	2.3	1211	3028	1.9	0.8	81.4	25000	<b>C703_81.4</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	204-205
12.7	2.4	1165	2719	2.0	0.8	52.2	25000	<b>C703_52.2</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN112M6</b>	204-205
13.0	2.5	1144	2861	3.5	1.4	76.9	35000	<b>C803_76.9</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	206
14.0	2.7	1061	2652	2.2	0.9	71.3	25000	<b>C703_71.3</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	204-205
14.2	2.7	1049	2623	3.8	1.5	70.5	35000	<b>C803_70.5</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	206
14.8	2.8	998	2328	2.3	1.0	44.7	25000	<b>C703_44.7</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN112M6</b>	204-205
15.2	2.9	981	2451	2.3	0.9	65.9	25000	<b>C703_65.9</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	204-205
16.0	3.0	930	2325	4.3	1.7	62.5	35000	<b>C803_62.5</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	206
16.1	3.0	922	2151	2.5	1.1	41.3	25000	<b>C703_41.3</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN112M6</b>	204-205
17.1	3.2	872	2180	1.8	0.7	58.6	16000	<b>C613_58.6</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	202-203
17.5	3.3	853	2132	4.7	1.9	57.3	35000	<b>C803_57.3</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	206
17.7	3.4	841	2102	2.7	1.1	56.5	25000	<b>C703_56.5</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	204-205
19.1	3.6	791	1846	2.7	1.1	34.7	25000	<b>C702_34.7</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN112M6</b>	204-205
19.2	3.6	777	1942	3.0	1.2	52.2	25000	<b>C703_52.2</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	204-205
21.0	4.0	708	177	2.3	0.9	47.6	16000	<b>C613_47.6</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	202-203
21.1	4.0	705	2003	5.7	2.3	47.4	35000	<b>C803_47.4</b>	— P100	— V 3 F	<b>P100</b>	<b>BN100LA4</b>	206
22.4	4.3	665	1663	3.5	1.4	44.7	25000	<b>C703_44.7</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	204-205
23.9	4.5	632	1474	3.3	1.4	27.7	25000	<b>C702_27.7</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN112M6</b>	204-205
24.2	4.6	615	1536	3.7	1.5	41.3	25000	<b>C703_41.3</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	204-205
26.3	5.0	578	1444	2.3	0.9	38.0	16000	<b>C612_38.0</b>	<b>V3</b> P100	<b>V 3 C</b> V 3 F	<b>P100</b>	<b>BN100LA4</b>	202-203









## 2.2 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
27.0	5.1	551	1376	1.8	0.7	37.0	10000	C513_37.0	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
28.8	5.5	527	1319	4.0	1.6	34.7	25000	C702_34.7	V3 P100	V 3 C V 3 F	P100	BN100LA4	204-205
29.2	5.6	520	1300	2.4	1.0	34.2	16000	C612_34.2	V3 P100	V 3 C V 3 F	P100	BN100LA4	202-203
32	6.0	479	1117	1.7	0.7	21.0	10000	C512_21.0	V3 P100	V 3 C V 3 F	P112	BN112M6	200-201
33	6.3	462	1155	2.9	1.2	30.4	16000	C612_30.4	V3 P100	V 3 C V 3 F	P100	BN100LA4	202-203
33	6.3	448	1120	2.2	0.9	30.1	10000	C513_30.1	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
36	6.9	421	1053	5.0	2.0	27.7	25000	C702_27.7	V3 P100	V 3 C V 3 F	P100	BN100LA4	204-205
36	6.9	408	1019	2.5	1.0	27.4	10000	C513_27.4	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
40	7.7	377	942	3.6	1.4	24.8	16000	C612_24.8	V3 P100	V 3 C V 3 F	P100	BN100LA4	202-203
43	8.1	356	889	2.2	0.9	23.4	10000	C512_23.4	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
51	9.7	298	745	4.5	1.8	19.6	16000	C612_19.6	V3 P100	V 3 C V 3 F	P100	BN100LA4	202-203
53	10.1	287	718	2.8	1.1	18.9	10000	C512_18.9	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
56	10.7	271	676	1.8	0.7	17.8	6500	C412_17.8	— P100	— V 3 F	P100	BN100LA4	198-199
60	11.4	252	631	3.2	1.3	16.6	10000	C512_16.6	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
63	12.0	240	600	2.1	0.8	15.8	6370	C412_15.8	— P100	— V 3 F	P100	BN100LA4	198-199
76	14.5	199	498	4.0	1.6	13.1	10000	C512_13.1	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
81	15.3	188	471	2.6	1.1	12.4	6040	C412_12.4	— P100	— V 3 F	P100	BN100LA4	198-199
89	17.0	170	426	2.9	1.2	11.2	5880	C412_11.2	— P100	— V 3 F	P100	BN100LA4	198-199
95	18.1	160	399	2.4	1.0	10.5	4930	C352_10.5	— P100	— V 3 F	P100	BN100LA4	196-197
102	19.4	149	372	5.4	2.1	9.8	10000	C512_9.8	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
114	21.6	134	334	2.8	1.1	8.8	4740	C352_8.8	— P100	— V 3 F	P100	BN100LA4	196-197
127	24.1	120	300	3.2	1.3	7.9	4610	C352_7.9	— P100	— V 3 F	P100	BN100LA4	196-197
128	24.4	119	296	6.2	2.7	7.8	10000	C512_7.8	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
141	26.8	108	270	3.8	1.9	7.1	5250	C412_7.1	— P100	— V 3 F	P100	BN100LA4	198-199
156	29.7	97	243	4.1	2.0	6.4	5100	C412_6.4	— P100	— V 3 F	P100	BN100LA4	198-199
164	31	93	232	4.1	1.6	6.1	4310	C352_6.1	— P100	— V 3 F	P100	BN100LA4	196-197
179	34	85	213	5.1	2.0	5.6	10000	C512_5.6	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
213	40	71	179	3.6	1.5	4.7	4550	C412_4.7	— P100	— V 3 F	P100	BN100LA4	198-199
217	41	70	175	2.9	1.1	4.6	3930	C352_4.6	— P100	— V 3 F	P100	BN100LA4	196-197
278	53	55	137	4.7	1.9	3.6	4250	C412_3.6	— P100	— V 3 F	P100	BN100LA4	198-199
303	58	50	125	8.4	3.3	3.3	10000	C512_3.3	V3 P100	V 3 C V 3 F	P100	BN100LA4	200-201
370	70	41	103	4.6	1.9	2.7	3390	C352_2.7	— P100	— V 3 F	P100	BN100LA4	196-197









## 3 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N						
5.8	1.1	3841	8963	1.9	0.8	172.1	60000	C903_172.1	— P100	— V 3 F	P100	BN100LB4	207
6.3	1.2	3522	8218	2.0	0.9	157.8	60000	C903_157.8	— P100	— V 3 F	P100	BN100LB4	207
6.8	1.3	3265	7619	2.2	0.9	146.3	60000	C903_146.3	— P100	— V 3 F	P100	BN100LB4	207
7.5	1.4	2993	6984	2.4	1.0	134.1	60000	C903_134.1	— P100	— V 3 F	P100	BN100LB4	207
8.6	1.6	2605	6078	2.8	1.2	116.7	60000	C903_116.7	— P100	— V 3 F	P100	BN100LB4	207
9.1	1.7	2444	5703	1.6	0.7	109.5	35000	C803_109.5	— P100	— V 3 F	P100	BN100LB4	206
9.3	1.8	2388	5573	3.0	1.3	107.0	60000	C903_107.0	— P100	— V 3 F	P100	BN100LB4	207
10.4	2.0	2147	5010	3.4	1.4	96.2	60000	C903_96.2	— P100	— V 3 F	P100	BN100LB4	207
11.2	2.1	1993	4651	2.0	0.9	89.3	35000	C803_89.3	— P100	— V 3 F	P100	BN100LB4	206
11.3	2.2	1969	4593	3.6	1.5	88.2	60000	C903_88.2	— P100	— V 3 F	P100	BN100LB4	207
12.3	2.3	1817	4239	1.3	0.5	81.4	25000	C703_81.4	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
13.0	2.5	1716	4005	2.3	1.0	76.9	35000	C803_76.9	— P100	— V 3 F	P100	BN100LB4	206
14.0	2.7	1591	3713	1.4	0.6	71.3	25000	C703_71.3	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
14.2	2.7	1574	3672	2.5	1.1	70.5	35000	C803_70.5	— P100	— V 3 F	P100	BN100LB4	206
15.2	2.9	1471	3432	1.6	0.7	65.9	25000	C703_65.9	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
16.0	3.0	1395	3255	2.9	1.2	62.5	35000	C803_62.5	— P100	— V 3 F	P100	BN100LB4	206
17.7	3.4	1261	2943	1.8	0.8	56.5	25000	C703_56.5	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
19.2	3.6	1165	2719	2.0	0.8	52.2	25000	C703_52.2	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
21.1	4.0	1058	2469	3.8	1.6	47.4	35000	C803_47.4	— P100	— V 3 F	P100	BN100LB4	206
22.4	4.3	998	2328	2.3	1.0	44.7	25000	C703_44.7	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
24.2	4.6	922	2151	2.5	1.1	41.3	25000	C703_41.3	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
26.3	5.0	866	2022	1.6	0.7	38.0	16000	C612_38.0	V3 P100	V 3 C V 3 F	P100	BN100LB4	202-203
28.8	5.5	791	1846	2.7	1.1	34.7	25000	C702_34.7	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
29.2	5.6	780	1819	1.6	0.7	34.2	16000	C612_34.2	V3 P100	V 3 C V 3 F	P100	BN100LB4	202-203
33	6.3	693	1617	1.9	0.8	30.4	16000	C612_30.4	V3 P100	V 3 C V 3 F	P100	BN100LB4	202-203
36	6.9	632	1474	3.3	1.4	27.7	25000	C702_27.7	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
40	7.7	565	1319	2.4	1.0	24.8	16000	C612_24.8	V3 P100	V 3 C V 3 F	P100	BN100LB4	202-203
44	8.3	522	1218	4.0	1.7	22.9	25000	C702_22.9	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
48	9.0	479	1117	1.7	0.7	21.0	10000	C512_21.0	V3 P100	V 3 C V 3 F	P100	BN100LB4	200-201
51	9.7	447	1043	3.0	1.3	19.6	15800	C612_19.6	V3 P100	V 3 C V 3 F	P100	BN100LB4	202-203
52	9.8	440	1027	4.8	2.0	19.3	25000	C702_19.3	V3 P100	V 3 C V 3 F	P100	BN100LB4	204-205
60	11.4	378	883	2.1	0.9	16.6	10000	C512_16.6	V3 P100	V 3 C V 3 F	P100	BN100LB4	200-201
63	11.9	363	846	3.7	1.6	15.9	14900	C612_15.9	V3 P100	V 3 C V 3 F	P100	BN100LB4	202-203
63	12.0	360	841	1.4	0.6	15.8	5770	C412_15.8	— P100	— V 3 F	P100	BN100LB4	198-199
76	14.5	299	697	2.7	1.1	13.1	10000	C512_13.1	V3 P100	V 3 C V 3 F	P100	BN100LB4	200-201



## 3 kW

$n_2$ min <sup>-1</sup>	$n_2'$ min <sup>-1</sup>	M <sub>2</sub> Nm	M <sub>2'</sub> Nm	S	S'	i	R <sub>n2</sub> N					IEC 	
81	15.3	283	660	1.8	0.8	12.4	5570	C412_12.4	— P100	— V 3 F	P100	BN100LB4	198-199
85	16.2	267	622	1.4	0.6	11.7	4630	C352_11.7	— P100	— V 3 F	P100	BN100LB4	196-197
102	19.4	223	521	3.6	1.5	9.8	9460	C512_9.8	V3 P100	V 3 C V 3 F	P100	BN100LB4	200-201
104	19.8	219	511	2.1	1.0	9.6	5320	C412_9.6	— P100	— V 3 F	P100	BN100LB4	198-199
114	21.6	201	468	1.9	0.8	8.8	4410	C352_8.8	— P100	— V 3 F	P100	BN100LB4	196-197
141	26.8	162	378	2.6	1.3	7.1	4980	C412_7.1	— P100	— V 3 F	P100	BN100LB4	198-199
143	27.1	160	372	4.6	2.1	7.0	8610	C512_7.0	V3 P100	V 3 C V 3 F	P100	BN100LB4	200-201
147	27.9	155	362	2.5	1.1	6.8	4190	C352_6.8	— P100	— V 3 F	P100	BN100LB4	196-197
167	32	137	319	1.9	0.8	6.0	4530	C412_6.0	— P100	— V 3 F	P100	BN100LB4	198-199
179	34	128	298	3.4	1.5	5.6	7980	C512_5.6	V3 P100	V 3 C V 3 F	P100	BN100LB4	200-201
213	40	107	250	2.4	1.0	4.7	4310	C412_4.7	— P100	— V 3 F	P100	BN100LB4	198-199
217	41	105	245	1.9	0.8	4.6	3720	C352_4.6	— P100	— V 3 F	P100	BN100LB4	196-197
222	42	103	239	4.2	1.8	4.5	7450	C512_4.5	V3 P100	V 3 C V 3 F	P100	BN100LB4	200-201
278	53	82	192	3.1	1.3	3.6	4060	C412_3.6	— P100	— V 3 F	P100	BN100LB4	198-199
286	54	80	186	2.5	1.1	3.5	3480	C352_3.5	— P100	— V 3 F	P100	BN100LB4	196-197
303	58	75	176	5.6	2.4	3.3	7000	C512_3.3	V3 P100	V 3 C V 3 F	P100	BN100LB4	200-201
370	70	62	144	3.1	1.4	2.7	3260	C352_2.7	— P100	— V 3 F	P100	BN100LB4	196-197

## 4 kW

3.9	0.70	6882	13765	1.0	0.5	172.1	60000	C903_172.1	— P132	— V 10 F	P132	BN132MA6	207
4.2	0.80	6310	12621	1.1	0.6	157.8	60000	C903_157.8	— P132	— V 10 F	P132	BN132MA6	207
4.5	0.90	5851	11701	1.2	0.6	146.3	60000	C903_146.3	— P132	— V 10 F	P132	BN132MA6	207
4.9	0.90	5363	10725	1.3	0.7	134.1	60000	C903_134.1	— P132	— V 10 F	P132	BN132MA6	207
5.8	1.1	5122	11524	1.4	0.6	172.1	60000	C903_172.1	— P112	— V 5.5 F	P112	BN112M4	207
6.2	1.2	4279	8558	1.7	0.8	107.0	60000	C903_107.0	— P132	— V 10 F	P132	BN132MA6	207
6.3	1.2	4696	10566	1.5	0.7	157.8	60000	C903_157.8	— P112	— V 5.5 F	P112	BN112M4	207
6.8	1.3	4354	9796	1.7	0.7	146.3	60000	C903_146.3	— P112	— V 5.5 F	P112	BN112M4	207
7.5	1.4	3991	8979	1.8	0.8	134.1	60000	C903_134.1	— P112	— V 5.5 F	P112	BN112M4	207
7.5	1.4	3527	7054	2.0	1.0	88.2	60000	C903_88.2	— P132	— V 10 F	P132	BN132MA6	207
8.2	1.5	3247	6494	2.2	1.1	81.2	60000	C903_81.2	— P132	— V 10 F	P132	BN132MA6	207
8.4	1.6	3556	8002	1.1	0.5	119.5	35000	C803_119.5	— P112	— V 5.5 F	P112	BN112M4	206
8.6	1.6	3473	7814	2.1	0.9	116.7	60000	C903_116.7	— P112	— V 5.5 F	P112	BN112M4	207
9.1	1.7	3259	7332	1.2	0.5	109.5	35000	C803_109.5	— P112	— V 5.5 F	P112	BN112M4	206
9.3	1.8	3184	7165	2.2	1.0	107.0	60000	C903_107.0	— P112	— V 5.5 F	P112	BN112M4	207