








0.55 kW

n_2 min ⁻¹	n_2' min ⁻¹	M ₂ Nm	M ₂ ' Nm	S	S'	i	R _{n2} N	 V	 P(IEC)	 C	 F	 IEC	
21.7	4.1	143	348	2.6	1.2	46	7000	W 86_46	V1 P80	V 1 C V 1 F	P80	BN80A4	264
22.1	4.2	133	331	2.2	1.0	30	6200	W 75_30	V1 P80	V 1 C V 1 F	P80	BN80B6	263
22.2	4.2	128	209	1.2	0.8	45	5000	W 63_45	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	262
22.2	4.2	128	313	1.2	0.5	45	5000	W 63_45	V1 P80	V 1 C V 1 F	P80	BN80A4	262
25.0	4.8	128	317	2.8	1.2	40	7000	W 86_40	V1 P80	V 1 C V 1 F	P80	BN80A4	264
25.0	4.8	122	302	2.2	1.0	40	6200	W 75_40	V1 P80	V 1 C V 1 F	P80	BN80A4	263
25.0	4.8	104	196	1.5	1.1	80	6200	W 75_80	— P71	— V 0.5 F	P71	BN71B2	263
26.3	5.0	113	185	1.5	1.0	38	4360	W 63_38	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	262
26.3	5.0	113	278	1.5	0.7	38	4360	W 63_38	V1 P80	V 1 C V 1 F	P80	BN80A4	262
27.6	5.2	108	269	1.5	0.7	24	4300	W 63_24	V1 P80	V 1 C V 1 F	P80	BN80B6	262
31	5.9	86	163	1.3	0.9	64	4360	W 63_64	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	262
33	6.3	100	248	2.9	1.3	30	5700	W 75_30	V1 P80	V 1 C V 1 F	P80	BN80A4	263
33	6.3	95	154	1.8	1.2	30	4080	W 63_30	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	262
33	6.3	95	230	1.8	0.8	30	4080	W 63_30	V1 P80	V 1 C V 1 F	P80	BN80A4	262
35	6.6	89	222	1.8	0.8	19	4040	W 63_19	V1 P80	V 1 C V 1 F	P80	BN80B6	262
40	7.6	87	219	3.1	1.3	25	5400	W 75_25	V1 P80	V 1 C V 1 F	P80	BN80A4	263
40	7.6	73	145	2.7	1.8	50	5530	W 75_50	— P71	— V 0.5 F	P71	BN71B2	263
42	7.9	81	134	2.0	1.4	24	38470	W 63_24	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	262
42	7.9	81	202	2.0	0.9	24	5000	W 63_24	V1 P80	V 1 C V 1 F	P80	BN80A4	262
44	8.3	74	187	4.8	2.1	15	7000	W 86_15	V1 P80	V 1 C V 1 F	P80	BN80B6	264
44	8.4	66	131	2.0	1.3	45	3930	W 63_45	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	262
50	9.5	72	185	3.8	1.6	20	5050	W 75_20	V1 P80	V 1 C V 1 F	P80	BN80A4	263
53	10.0	67	111	2.4	1.6	19	3600	W 63_19	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	262
53	10.0	67	166	2.4	1.1	19	3600	W 63_19	V1 P80	V 1 C V 1 F	P80	BN80A4	262
56	10.6	52	106	1.0	0.8	36	2280	VF 49_36	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	260-261
66	12.5	50	130	3.0	1.3	10	3370	W 63_10	V1 P80	V 1 C V 1 F	P80	BN80B6	262
67	12.7	54	91	3.0	2.0	15	3370	W 63_15	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	262
67	12.7	54	137	3.0	1.3	15	3370	W 63_15	V1 P80	V 1 C V 1 F	P80	BN80A4	262
71	13.6	42	88	1.3	1.0	28	2120	VF 49_28	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	260-261
83	15.8	38	82	1.2	0.9	24	2020	VF 49_24	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	260-261
83	15.8	44	76	3.4	2.2	12	3150	W 63_12	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	262
95	17.9	37	94	3.6	1.5	7	3030	W 63_7	V1 P80	V 1 C V 1 F	P80	BN80B6	262
100	19.0	38	65	4.0	2.5	10	2990	W 63_10	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	262




0.55 kW







n_2 min ⁻¹	n_2' min ⁻¹	M ₂ Nm	M ₂ ' Nm	S	S'	i	R _{n2} N	V-	P(IEC)	C	F	IEC	IEC
100	19.0	38	97	4.0	1.7	10	2990	W 63_10	V1 P80	V 1 C V 1 F	P80	BN80A4	262
105	20.0	32	69	4.1	2.6	19	3030	W 63_19	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	262
111	21.1	30	65	1.5	1.1	18	1860	VF 49_18	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	260-261
143	27.1	27	47	4.7	3.0	7	2680	W 63_7	V05 P71	V 0.5 C V 0.5 F	P80	BN80A4	262
143	27.1	27	71	4.7	2.0	7	2680	W 63_7	V1 P80	V 1 C V 1 F	P80	BN80A4	262
143	27.1	24	53	2.1	1.5	14	1730	VF 49_14	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	260-261
200	38	17.0	40	2.6	1.9	10	1560	VF 49_10	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	260-261
286	54	12.0	29	3.3	2.5	7	1400	VF 49_7	V05 P71	V 0.5 C V 0.5 F	P71	BN71B2	260-261


0.75 kW

6.6	1.3	456	816	1.1	0.7	100	8000	W 110_100	— P80	— V 1 F	P80	BN80C6	265
8.3	1.6	390	717	1.3	0.8	80	8000	W 110_80	— P80	— V 1 F	P80	BN80C6	265
10.0	1.9	342	816	1.4	0.7	100	8000	W 110_100	— P80	— V 1 F	P80	BN80B4	265
10.4	2.0	323	594	0.9	0.6	64	7000	W 86_64	V1 P80	V 1 C V 1 F	P80	BN80C6	264
11.8	2.2	305	564	2.1	1.3	56	8000	W 110_56	— P80	— V 1 F	P80	BN80C6	265
11.8	2.2	296	538	1.1	0.7	56	7000	W 86_56	V1 P80	V 1 C V 1 F	P80	BN80C6	264
12.5	2.4	293	717	1.7	0.8	80	8000	W 110_80	— P80	— V 1 F	P80	BN80B4	265
12.5	2.4	283	678	1.0	0.4	80	7000	W 86_80	V1 P80	V 1 C V 1 F	P80	BN80B4	264
14.4	2.7	254	464	1.4	0.9	46	7000	W 86_46	V1 P80	V 1 C V 1 F	P80	BN80C6	264
15.6	3.0	250	614	2.3	1.0	64	8000	W 110_64	— P80	— V 1 F	P80	BN80B4	265
15.6	3.0	242	594	1.2	0.6	64	7000	W 86_64	V1 P80	V 1 C V 1 F	P80	BN80B4	264
16.6	3.1	218	403	1.3	0.8	40	6200	W 75_40	V1 P80	V 1 C V 1 F	P80	BN80C6	263
17.4	3.3	201	371	0.8	0.5	38	4200	W 63_38	V1 P80	V 1 C V 1 F	P80	BN80C6	262
17.9	3.4	228	564	2.8	1.3	56	8000	W 110_56	— P80	— V 1 F	P80	BN80B4	265
17.9	3.4	222	538	1.5	0.7	56	7000	W 86_56	V1 P80	V 1 C V 1 F	P80	BN80B4	264
20.0	3.8	189	464	1.2	0.6	50	6200	W 75_50	V1 P80	V 1 C V 1 F	P80	BN80B4	263
21.7	4.1	196	486	3.3	1.5	46	8000	W 110_46	— P80	— V 1 F	P80	BN80B4	265
21.7	4.1	190	464	1.9	0.9	46	7000	W 86_46	V1 P80	V 1 C V 1 F	P80	BN80B4	264
25.0	4.8	175	435	4.1	1.8	40	8000	W 110_40	— P80	— V 1 F	P80	BN80B4	265
25.0	4.8	170	422	2.1	0.9	40	7000	W 86_40	V1 P80	V 1 C V 1 F	P80	BN80B4	264
25.0	4.8	163	403	1.7	0.8	40	5960	W 75_40	V1 P80	V 1 C V 1 F	P80	BN80B4	263
26.3	5.0	150	185	1.1	1.0	38	4090	W 63_38	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	262



0.75 kW

n_2 min ⁻¹	n_2' min ⁻¹	M_2 Nm	M_2' Nm	S	S'	i	R_{n2} N	 	 				
26.5	5.0	154	292	1.8	1.0	25	5860	W 75_25	V1 P80	V 1 C V 1 F	P80	BN80C6	263
27.6	5.2	144	269	1.1	0.7	24	4040	W 63_24	V1 P80	V 1 C V 1 F	P80	BN80C6	262
33	6.3	128	246	2.1	1.2	20	5500	W 75_20	V1 P80	V 1 C V 1 F	P80	BN80C6	263
33	6.3	126	264	1.4	0.9	60	5630	W 75_60	— P71	— V 0.5 F	P71	BN71C2	263
33	6.3	126	154	1.3	1.2	30	3860	W 63_30	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	262
33	6.3	126	307	1.3	0.6	30	3860	W 63_30	V1 P80	V 1 C V 1 F	P80	BN80B4	262
35	6.6	119	222	1.3	0.8	19	3820	W 63_19	V1 P80	V 1 C V 1 F	P80	BN80C6	262
40	7.6	116	292	2.3	1.0	25	5220	W 75_25	V1 P80	V 1 C V 1 F	P80	BN80B4	263
40	7.6	110	232	1.8	1.1	50	5340	W 75_50	— P71	— V 0.5 F	P71	BN71C2	263
42	7.9	108	134	1.5	1.4	24	3650	W 63_24	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	262
42	7.9	108	269	1.5	0.7	24	3650	W 63_24	V1 P80	V 1 C V 1 F	P80	BN80B4	262
44	8.3	100	192	2.7	1.5	15	5080	W 75_15	V1 P80	V 1 C V 1 F	P80	BN80C6	263
44	8.3	96	182	1.7	1.0	15	3600	W 63_15	V1 P80	V 1 C V 1 F	P80	BN80C6	262
44	8.4	99	209	1.3	0.8	45	3730	W 63_45	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	262
50	9.5	96	246	2.8	1.2	20	4900	W 75_20	V1 P80	V 1 C V 1 F	P80	BN80B4	263
53	10.0	89	111	1.8	1.6	19	3440	W 63_19	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	262
53	10.0	89	222	1.8	0.8	19	3440	W 63_19	V1 P80	V 1 C V 1 F	P80	BN80B4	262
53	10.0	86	185	1.5	1.0	38	3560	W 63_38	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	262
66	12.5	67	130	2.2	1.3	10	3240	W 63_10	V1 P80	V 1 C V 1 F	P80	BN80C6	262
67	12.7	75	192	3.6	1.5	15	4510	W 75_15	V1 P80	V 1 C V 1 F	P80	BN80B4	263
67	12.7	72	91	2.2	2.0	15	3230	W 63_15	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	262
67	12.7	72	182	2.2	1.0	15	3230	W 63_15	V1 P80	V 1 C V 1 F	P80	BN80B4	262
67	12.7	70	154	1.8	1.2	30	3330	W 63_30	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	262
83	15.8	59	76	2.5	2.2	12	3040	W 63_12	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	262
83	15.8	59	134	2.2	1.4	24	3120	W 63_24	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	262
95	17.9	49	94	2.7	1.5	7	2920	W 63_7	V1 P80	V 1 C V 1 F	P80	BN80C6	262
100	19.0	52	134	4.8	2.0	10	4100	W 75_10	V1 P80	V 1 C V 1 F	P80	BN80B4	263
100	19.0	50	65	3.0	2.5	10	2890	W 63_10	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	262
100	19.0	50	130	3.0	1.3	10	2890	W 63_10	V1 P80	V 1 C V 1 F	P80	BN80B4	262
105	20.0	48	111	2.7	1.6	19	2920	W 63_19	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	262
111	21.1	44	104	1.0	0.7	18	1750	VF 49_18	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	260-261
133	25.3	39	91	3.2	2.0	15	2720	W 63_15	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	262
143	27.1	37	47	3.6	3.0	7	2600	W 63_7	V05 P71	V 0.5 C V 0.5 F	P80	BN80B4	262




0.75 kW

n_2 min ⁻¹	n_2' min ⁻¹	M ₂ Nm	M _{2'} Nm	S	S'	i	R _{n2} N	V	P(IEC)	C	F		
143	27.1	37	94	3.6	1.5	7	2600	W 63_7	V1 P80	V 1 C V 1 F	P80	BN80B4	262
143	27.1	35	84	1.4	0.9	14	1640	VF 49_14	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	260-261
200	38	26	65	4.7	2.5	10	2410	W 63_10	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	262
200	38	26	64	1.7	1.2	10	1490	VF 49_10	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	260-261
286	54	18.0	46	2.2	1.6	7	1340	VF 49_7	V05 P71	V 0.5 C V 0.5 F	P71	BN71C2	260-261


1.1 kW

6.6	1.3	684	1728	1.2	0.5	100	13800	VF 130_100	V2 P90	V 2 C V 2 F	P90	BN90L6	266-267
8.3	1.6	586	1485	1.8	0.8	80	13800	VF 130_80	V2 P90	V 2 C V 2 F	P90	BN90L6	266-267
10.0	1.9	531	1296	1.5	0.7	100	13200	VF 130_100	V2 P90	V 2 C V 2 F	P90	BN90S4	266-267
10.4	2.0	499	1229	1.1	0.5	64	8000	W 110_64	V2 P90	V 2 C V 2 F	P90	BN90L6	265
10.6	2.2	457	564	1.4	1.3	56	8000	W 110_56	— P80	— V 1 F	P90	BN90L6	265
11.8	2.2	457	1165	2.5	1.0	56	13800	VF 130_56	V2 P90	V 2 C V 2 F	P90	BN90L6	266-267
12.5	2.4	461	1114	2.1	1.0	80	13200	VF 130_80	V2 P90	V 2 C V 2 F	P90	BN90S4	266-267
12.5	2.4	439	1075	1.1	0.5	80	8000	W 110_80	V2 P90	V 2 C V 2 F	P90	BN90S4	265
14.4	2.7	392	972	1.6	0.7	46	8000	W 110_46	V2 P90	V 2 C V 2 F	P90	BN90L6	265
15.6	3.0	392	952	2.7	1.3	64	13200	VF 130_64	V2 P90	V 2 C V 2 F	P90	BN90S4	266-267
15.6	3.0	374	922	1.5	0.7	64	8000	W 110_64	V2 P90	V 2 C V 2 F	P90	BN90S4	265
16.1	3.4	336	538	1.0	0.7	56	7000	W 86_56	V1 P80	V 1 C V 1 F	P90	BN90S4	264
16.6	3.1	341	845	1.0	0.5	40	7000	W 86_40	V2 P90	V 2 C V 2 F	P90	BN90L6	264
17.9	3.4	343	847	1.9	0.8	56	8000	W 110_56	V2 P90	V 2 C V 2 F	P90	BN90S4	265
17.9	3.4	353	874	3.1	1.4	56	13200	V F 130_56	V2 P90	V 2 C V 2 F	P90	BN90S4	266-267
19.6	4.1	289	464	1.3	0.9	46	7000	W 86_46	V1 P80	V 1 C V 1 F	P90	BN90S4	264
20.0	3.8	302	612	1.4	0.9	100	8000	W 110_100	— P80	— V 1 F	P80	BN80B2	265
21.7	4.1	302	751	3.8	1.8	46	7700	VF 130_46	V2 P90	V 2 C V 2 F	P90	BN90S4	266-267
21.7	4.1	294	729	2.2	1.0	46	8000	W 110_46	V2 P90	V 2 C V 2 F	P90	BN90S4	265
21.7	4.1	286	696	1.3	0.6	46	7000	W 86_46	V2 P90	V 2 C V 2 F	P90	BN90S4	264
22.5	4.8	258	422	1.4	0.9	40	7000	W 86_40	V1 P80	V 1 C V 1 F	P90	BN90S4	264
22.5	4.8	248	403	1.1	0.8	40	5480	W 75_40	V1 P80	V 1 C V 1 F	P90	BN90S4	263
25.0	4.8	263	653	2.7	1.2	40	8000	W 110_40	V2 P90	V 2 C V 2 F	P90	BN90S4	265
25.0	4.8	256	538	1.6	1.0	80	8000	W 110_80	— P80	— V 1 F	P80	BN80B2	265
25.0	4.8	256	634	1.4	0.6	40	7000	W 86_40	V2 P90	V 2 C V 2 F	P90	BN90S4	264



1.1 kW

n_2 min ⁻¹	n_2' min ⁻¹	M ₂ Nm	M _{2'} Nm	S	S'	i	R _{n2} N	V	P(IEC)	C	F	IEC	
28.8	5.4	221	552	1.6	0.7	23	7000	W 86_23	V2 P90	V 2 C V 2 F	P90	BN90L6	264
30	6.3	199	322	2.0	1.4	30	7000	W 86_30	V1 P80	V 1 C V 1 F	P90	BN90S4	264
30	6.3	202	331	1.4	1.0	30	5110	W 75_30	V1 P80	V 1 C V 1 F	P90	BN90S4	263
31	5.9	210	297	1.2	1.1	64	7000	W 86_64	— P71	— V 0.5 F	P80	BN80B2	264
33	6.3	192	493	1.4	0.6	20	5100	W 75_20	V2 P90	V 2 C V 2 F	P90	BN90L6	263
33	6.3	200	504	3.8	1.6	30	8000	W 110_30	V2 P90	V 2 C V 2 F	P90	BN90S4	265
33	6.3	197	482	2.0	0.9	30	7000	W 86_30	V2 P90	V 2 C V 2 F	P90	BN90S4	264
36	6.8	192	423	2.8	1.7	56	8000	W 110_56	— P80	— V 1 F	P80	BN80B2	265
36	6.8	189	403	1.4	0.9	56	7000	W 86_56	V1 P80	V 1 C V 1 F	P80	BN80B2	264
36	7.6	175	292	1.5	1.0	25	4870	W 75_25	V1 P80	V 1 C V 1 F	P90	BN90S4	263
38	7.9	164	269	1.0	0.7	24	3270	W 63_24	V1 P80	V 1 C V 1 F	P90	BN90S4	262
43	8.3	168	425	3.5	1.5	23	8000	W 110_23	V2 P90	V 2 C V 2 F	P90	BN90S4	265
43	8.3	166	414	2.1	0.9	23	7000	W 86_23	V2 P90	V 2 C V 2 F	P90	BN90S4	264
43	8.3	159	348	1.9	1.2	46	7000	W 86_46	V1 P80	V 1 C V 1 F	P80	BN80B2	264
44	8.3	148	374	2.4	1.0	15	7000	W 86_15	V2 P90	V 2 C V 2 F	P90	BN90L6	264
44	8.3	149	384	1.8	0.8	15	4750	W 75_15	V2 P90	V 2 C V 2 F	P90	BN90L6	263
45	9.5	147	246	2.3	1.5	20	7000	W 86_20	V1 P80	V 1 C V 1 F	P90	BN90S4	264
45	9.5	146	246	1.9	1.2	20	4600	W 75_20	V1 P80	V 1 C V 1 F	P90	BN90S4	263
47	10.0	135	222	1.2	0.8	19	3110	W 63_19	V1 P80	V 1 C V 1 F	P90	BN90S4	262
50	9.5	148	379	4.2	1.8	20	8000	W 110_20	V2 P90	V 2 C V 2 F	P90	BN90S4	265
50	9.5	146	370	2.4	1.0	20	7000	W 86_20	V2 P90	V 2 C V 2 F	P90	BN90S4	264
50	9.5	144	370	1.9	0.8	20	4600	W 75_20	V2 P90	V 2 C V 2 F	P90	BN90S4	263
50	9.5	139	302	1.6	1.0	40	4770	W 75_40	V1 P80	V 1 C V 1 F	P80	BN80B2	263
60	12.7	113	192	2.4	1.5	15	4500	W 75_15	V1 P80	V 1 C V 1 F	P90	BN90S4	263
60	12.7	109	182	1.5	1.0	15	2960	W 63_15	V1 P80	V 1 C V 1 F	P90	BN90S4	262
66	12.5	103	269	2.4	1.0	10	4240	W 75_10	V2 P90	V 2 C V 2 F	P90	BN90L6	263
67	12.7	112	288	5.8	2.5	15	8000	W 110_15	V2 P90	V 2 C V 2 F	P90	BN90S4	265
67	12.7	111	281	3.2	1.4	15	7000	W 86_15	V2 P90	V 2 C V 2 F	P90	BN90S4	264
67	12.7	112	288	2.4	1.0	15	4260	W 75_15	V2 P90	V 2 C V 2 F	P90	BN90S4	263
67	12.7	105	230	1.2	0.8	30	2960	W 63_30	V1 P80	V 1 C V 1 F	P80	BN80B2	262
75	15.8	90	152	1.7	1.1	12	2810	W 63_12	V1 P80	V 1 C V 1 F	P90	BN90S4	262
80	15.2	93	219	2.4	1.3	25	4180	W 75_25	V1 P80	V 1 C V 1 F	P80	BN80B2	263
83	15.8	89	202	1.5	0.9	24	2930	W 63_24	V1 P80	V 1 C V 1 F	P80	BN80B2	262




1.1 kW







n_2 min ⁻¹	n_2' min ⁻¹	M ₂ Nm	M _{2'} Nm	S	S'	i	R _{n2} N	V	P(IEC)	C	F		
87	16.5	88	207	3.2	1.8	23	7000	W 86_23	V1 P80	V 1 C V 1 F	P80	BN80B2	264
90	19.0	78	134	3.2	2.0	10	3790	W 75_10	V1 P80	V 1 C V 1 F	P90	BN90S4	263
90	19.0	76	130	2.0	1.3	10	6780	W 63_10	V1 P80	V 1 C V 1 F	P90	BN90S4	262
100	19.0	77	190	6.6	3.6	20	8000	W 110_20	— P80	— V 1 F	P80	BN80B2	265
100	19.0	77	202	3.2	1.4	10	3790	W 75_10	V2 P90	V 2 C V 2 F	P90	BN90S4	263
100	19.0	77	185	2.9	1.6	20	3910	W 75_20	V1 P80	V 1 C V 1 F	P80	BN80B2	263
105	20.0	72	166	1.8	1.1	19	2760	W 63_19	V1 P80	V 1 C V 1 F	P80	BN80B2	262
129	27.1	56	96	3.7	2.3	7	3400	W 75_7	V1 P80	V 1 C V 1 F	P90	BN90S4	263
129	27.1	55	94	2.3	1.5	7	2440	W 63_7	V1 P80	V 1 C V 1 F	P90	BN90S4	262
133	25.3	59	144	3.8	2.0	15	3600	W 75_15	V1 P80	V 1 C V 1 F	P80	BN80B2	263
133	25.3	58	137	2.2	1.3	15	2590	W 63_15	V1 P80	V 1 C V 1 F	P80	BN80B2	262
143	27.1	55	144	9.7	4.1	7	8000	W 110_7	V2 P90	V 2 C V 2 F	P90	BN90S4	265
143	27.1	55	144	3.7	1.6	7	3400	W 75_7	V2 P90	V 2 C V 2 F	P90	BN90S4	263
200	38	40	97	3.2	1.7	10	2310	W 63_10	V1 P80	V 1 C V 1 F	P80	BN80B2	262
286	54	28	71	3.7	2.0	7	2080	W 63_7	V1 P80	V 1 C V 1 F	P80	BN80B2	262


1.5 kW

8.3	1.6	781	1624	1.3	0.7	80	13800	VF 130_80	V2 P90	V 2 C V 2 F	P90	BN100LA6R	266-267
10.0	1.9	708	1728	1.1	0.5	100	13200	VF 130_100	V2 P90	V 2 C V 2 F	P90	BN90LA4	266-267
10.4	2.0	666	1389	1.7	0.9	64	13800	VF 130_64	V2 P90	V 2 C V 2 F	P90	BN100LA6R	266-267
11.8	2.2	609	1235	1.1	0.6	56	8000	W 110_56	V2 P90	V 2 C V 2 F	P90	BN100LA6R	265
12.5	2.4	614	1485	1.5	0.8	80	13200	VF 130_80	V2 P90	V 2 C V 2 F	P90	BN90LA4	266-267
14.4	2.7	523	1063	1.2	0.7	46	8000	W 110_46	V2 P90	V 2 C V 2 F	P90	BN100LA6R	265
15.6	3.0	522	1270	2.0	0.9	64	13200	VF 130_64	V2 P90	V 2 C V 2 F	P90	BN90LA4	266-267
16.6	3.1	467	952	1.5	0.8	40	8000	W 110_40	V2 P90	V 2 C V 2 F	P90	BN100LA6R	265
17.9	3.4	457	1129	1.4	0.6	56	8000	W 110_56	V2 P90	V 2 C V 2 F	P90	BN90LA4	265
17.9	3.4	470	1165	2.3	1.0	56	13200	VF 130_56	V2 P90	V 2 C V 2 F	P90	BN90LA4	266-267
19.6	4.1	381	464	1.0	0.9	46	7000	W 86_46	V1 P80	V 1 C V 1 F	P90	BN90LA4	264
21.7	4.1	403	1001	2.9	1.3	46	13200	VF 130_46	V2 P90	V 2 C V 2 F	P90	BN90LA4	266-267
21.7	4.1	392	972	1.6	0.7	46	8000	W 110_46	V2 P90	V 2 C V 2 F	P90	BN90LA4	265
22.1	4.2	350	704	1.1	0.6	30	7000	W 86_30	V2 P90	V 2 C V 2 F	P90	BN100LA6R	264
22.5	4.8	341	422	1.0	0.9	40	7000	W 86_40	V1 P80	V 1 C V 1 F	P90	BN90LA4	264
25.0	4.8	350	870	3.4	1.6	40	13200	VF 130_40	V2 —	V 2 C —	P90	BN90LA4	266-267



1.5 kW

n_2 min ⁻¹	n_2' min ⁻¹	M_2 Nm	M_2' Nm	S	S'	i	R_{n2} N	 V	 P(IEC)	 C	 F	 IEC	
25.0	4.8	350	870	2.1	0.9	40	8000	W 110_40	V2 P90	V 2 C V 2 F	P90	BN90LA4	265
25.0	4.8	341	845	1.0	0.5	40	7000	W 86_40	V2 P90	V 2 C V 2 F	P90	BN90LA4	264
28.8	5.4	298	620	1.9	1.0	23	8000	W 110_23	V2 P90	V 2 C V 2 F	P90	BN100LA6R	265
28.8	5.4	294	604	1.2	0.6	23	7000	W 86_23	V2 P90	V 2 C V 2 F	P90	BN100LA6R	264
30	6.3	263	322	1.5	1.4	30	7000	W 86_30	V1 P80	V 1 C V 1 F	P90	BN90LA4	264
30	6.3	266	331	1.1	1.0	30	4710	W 75_30	V1 P80	V 1 C V 1 F	P90	BN90LA4	263
31	5.9	284	614	1.7	1.0	64	8000	W 110_64	— P80	— V 1 F	P80	BN80C2	265
33	6.3	277	691	4.5	2.2	30	13200	VF 130_30	V2 —	V 2 C —	P90	BN90LA4	266-267
33	6.3	266	672	2.8	1.2	30	8000	W 110_30	V2 P90	V 2 C V 2 F	P90	BN90LA4	265
33	6.3	263	643	1.5	0.7	30	7000	W 86_30	V2 P90	V 2 C V 2 F	P90	BN90LA4	264
36	6.8	255	564	2.1	1.3	56	8000	W 110_56	— P80	— V 1 F	P80	BN80C2	265
36	7.6	231	292	1.2	1.0	25	4530	W 75_25	V1 P80	V 1 C V 1 F	P90	BN90LA4	263
39	8.3	221	276	1.6	1.4	23	7000	W 86_23	V1 P80	V 1 C V 1 F	P90	BN90LA4	264
43	8.3	224	567	2.6	1.1	23	8000	W 110_23	V2 P90	V 2 C V 2 F	P90	BN90LA4	265
43	8.3	218	486	2.5	1.5	46	8000	W 110_46	— P80	— V 1 F	P80	BN80C2	265
43	8.3	221	552	1.6	0.7	23	7000	W 86_23	V2 P90	V 2 C V 2 F	P90	BN90LA4	264
43	8.3	213	464	1.4	0.9	46	7000	W 86_46	V1 P80	V 1 C V 1 F	P80	BN80C2	264
45	9.5	194	246	1.8	1.5	20	7000	W 86_20	V1 P80	V 1 C V 1 F	P90	BN90LA4	264
45	9.5	192	246	1.4	1.2	20	4300	W 75_20	V1 P80	V 1 C V 1 F	P90	BN90LA4	263
50	9.5	197	506	3.1	1.3	20	8000	W 110_20	V2 P90	V 2 C V 2 F	P90	BN90LA4	265
50	9.5	194	493	1.8	0.8	20	7000	W 86_20	V2 P90	V 2 C V 2 F	P90	BN90LA4	264
50	9.5	190	422	1.6	0.9	40	7000	W 86_40	V1 P80	V 1 C V 1 F	P80	BN80C2	264
50	9.5	192	493	1.4	0.6	20	4300	W 75_20	V2 P90	V 2 C V 2 F	P90	BN90LA4	263
60	12.7	148	187	2.4	2.1	15	7000	W 86_15	V1 P80	V 1 C V 1 F	P90	BN90LA4	264
60	12.7	149	192	1.8	1.5	15	4020	W 75_15	V1 P80	V 1 C V 1 F	P90	BN90LA4	263
60	12.7	144	182	1.1	1.0	15	2690	W 63_15	V1 P80	V 1 C V 1 F	P90	BN90LA4	262
67	12.7	149	384	4.3	1.8	15	2960	W 110_15	V2 P90	V 2 C V 2 F	P90	BN90LA4	265
67	12.7	148	374	2.4	1.0	15	8000	W 86_15	V2 P90	V 2 C V 2 F	P90	BN90LA4	264
67	12.7	149	384	1.8	0.8	15	7000	W 75_15	V2 P90	V 2 C V 2 F	P90	BN90LA4	263
67	12.7	146	331	1.6	1.0	30	4200	W 75_30	V1 P80	V 1 C V 1 F	P80	BN80C2	263
75	15.8	118	152	1.3	1.1	12	2570	W 63_12	V1 P80	V 1 C V 1 F	P90	BN90LA4	262
80	15.2	125	292	1.8	1.0	25	4000	W 75_25	V1 P80	V 1 C V 1 F	P80	BN80C2	263
87	16.5	117	276	2.4	1.4	23	6940	W 86_23	V1 P80	V 1 C V 1 F	P80	BN80C2	264
90	19.0	103	134	2.4	2.0	10	3600	W 75_10	V1 P80	V 1 C V 1 F	P90	BN90LA4	263
90	19.0	101	130	1.5	1.3	10	2480	W 63_10	V1 P80	V 1 C V 1 F	P90	BN90LA4	262




1.5 kW







n_2 min ⁻¹	n_2' min ⁻¹	M ₂ Nm	M _{2'} Nm	S	S'	i	R _{n2} N	V	P(IEC)	C	F		
95	17.9	99	211	2.1	1.1	7	3590	W 75_7	V2 P90	V 2 C V 2 F	P90	BN100LA6R	263
100	19.0	103	262	3.0	1.3	10	6530	W 86_10	V2 P90	V 2 C V 2 F	P90	BN90LA4	264
100	19.0	103	269	2.4	1.0	10	3600	W 75_10	V2 P90	V 2 C V 2 F	P90	BN90LA4	263
100	19.0	103	246	2.2	1.2	20	3760	W 75_20	V1 P80	V 1 C V 1 F	P80	BN80C2	263
105	20.0	96	222	1.4	0.8	19	2590	W 63_19	V1 P80	V 1 C V 1 F	P80	BN80C2	262
129	27.1	74	96	2.8	2.3	7	2270	W 75_7	V1 P80	V 1 C V 1 F	P90	BN90LA4	263
129	27.1	73	94	1.8	1.5	7	2270	W 63_7	V1 P80	V 1 C V 1 F	P90	BN90LA4	262
133	25.3	79	192	2.8	1.5	15	3480	W 75_15	V1 P80	V 1 C V 1 F	P80	BN80C2	263
133	25.3	77	182	1.6	1.0	15	2540	W 63_15	V1 P80	V 1 C V 1 F	P80	BN80C2	262
143	27.1	74	190	3.7	1.5	7	5850	W 86_7	V2 P90	V 2 C V 2 F	P90	BN90LA4	264
143	27.1	74	193	2.8	1.2	7	3240	W 75_7	V2 P90	V 2 C V 2 F	P90	BN90LA4	263
200	38	54	134	3.8	2.0	10	3080	W 75_10	V1 P80	V 1 C V 1 F	P80	BN80C2	263
200	38	53	130	2.4	1.3	10	2210	W 63_10	V1 P80	V 1 C V 1 F	P80	BN80C2	262
286	54	38	94	2.8	1.5	7	2000	W 63_7	V1 P80	V 1 C V 1 F	P80	BN80C2	262

1.8 kW

10.0	1.9	826	1890	1.0	0.5	100	13200	VF 130_100	V2 P90	V 2 C V 2 F	P90	BN90LB4	266-267
12.5	2.4	717	1624	1.3	0.7	80	13200	VF 130_80	V2 P90	V 2 C V 2 F	P90	BN90LB4	266-267
15.6	3.0	609	1389	1.7	0.9	64	13200	VF 130_64	V2 P90	V 2 C V 2 F	P90	BN90LB4	266-267
17.9	3.4	533	1235	1.2	0.6	56	8000	W 110_56	V2 P90	V 2 C V 2 F	P90	BN90LB4	265
17.9	3.4	549	1274	2.0	0.9	56	13200	VF 130_56	V2 P90	V 2 C V 2 F	P90	BN90LB4	266-267
21.7	4.1	470	1095	2.4	1.2	46	13200	VF 130_46	V2 P90	V 2 C V 2 F	P90	BN90LB4	266-267
21.7	4.1	457	1063	1.4	0.7	46	8000	W 110_46	V2 P90	V 2 C V 2 F	P90	BN90LB4	265
25.0	4.8	409	952	2.9	1.5	40	13200	VF 130_40	—	—	P90	BN90LB4	266-267
25.0	4.8	409	952	1.8	0.8	40	8000	W 110_40	V2 P90	V 2 C V 2 F	P90	BN90LB4	265
33	6.3	323	756	3.9	2.0	30	13200	VF 130_30	—	—	P90	BN90LB4	266-267
33	6.3	311	735	2.4	1.1	30	8000	W 110_30	V2 P90	V 2 C V 2 F	P90	BN90LB4	265
33	6.3	307	704	1.3	0.6	30	7000	W 86_30	V2 P90	V 2 C V 2 F	P90	BN90LB4	264
43	8.3	261	620	2.2	1.0	23	8000	W 110_23	V2 P90	V 2 C V 2 F	P90	BN90LB4	265
43	8.3	258	604	1.3	0.6	23	7000	W 86_23	V2 P90	V 2 C V 2 F	P90	BN90LB4	264
50	9.5	230	553	2.7	1.2	20	8000	W 110_20	V2 P90	V 2 C V 2 F	P90	BN90LB4	265
50	9.5	227	539	1.5	0.7	20	7000	W 86_20	V2 P90	V 2 C V 2 F	P90	BN90LB4	264
67	12.7	174	420	3.7	1.7	15	8000	W 110_15	V2 P90	V 2 C V 2 F	P90	BN90LB4	265




1.8 kW

n_2 min ⁻¹	n_2' min ⁻¹	M_2 Nm	M_2' Nm	S	S'	i	R_{n2} N	 V	 P(IEC)	 C	 F	 IEC	
67	12.7	172	410	2.1	1.0	15	7000	W 86_15	V2 P90	V 2 C V 2 F	P90	BN90LB4	264
67	12.7	174	420	1.5	0.7	15	3860	W 75_15	V2 P90	V 2 C V 2 F	P90	BN90LB4	263
100	19.0	120	287	2.6	1.2	10	6420	W 86_10	V2 P90	V 2 C V 2 F	P90	BN90LB4	264
100	19.0	120	294	2.1	0.9	10	3470	W 75_10	V2 P90	V 2 C V 2 F	P90	BN90LB4	263
143	27.1	86	208	3.1	1.4	7	5760	W 86_7	V2 P90	V 2 C V 2 F	P90	BN90LB4	264
143	27.1	86	211	2.4	1.1	7	3130	W 75_7	V2 P90	V 2 C V 2 F	P90	BN90LB4	263

2.2 kW

6.6	1.3	1440	3136	1.4	0.7	100	19500	VF 185_100	V3 P100	V 3 C V 3 F	P112	BN112M6	270-271
8.3	1.6	1229	2688	2.1	1.0	80	19500	VF 185_80	V3 P100	V 3 C V 3 F	P112	BN112M6	270-271
8.3	1.6	1210	2643	1.2	0.6	80	16000	VF 150_80	V3 P100	V 3 C V 3 F	P112	BN112M6	268-269
10.0	1.9	976	2200	1.2	0.6	100	15000	VF 150_100	V3 P100	V 3 C V 3 F	P100	BN100LA4	268-269
10.4	2.0	998	2222	1.1	0.5	64	13800	VF 130_64	V3 P100	V 3 C V 3 F	P112	BN112M6	266-267
11.8	2.2	927	2070	1.8	0.8	56	16000	VF 150_56	V3 P100	V 3 C V 3 F	P112	BN112M6	268-269
11.8	2.2	914	2038	1.2	0.6	56	13800	VF 130_56	V3 P100	V 3 C V 3 F	P112	BN112M6	266-267
12.5	2.4	832	1888	1.6	0.8	80	15500	VF 150_80	V3 P100	V 3 C V 3 F	P100	BN100LA4	268-269
12.5	2.4	819	1856	1.2	0.6	80	13200	VF 130_80	V3 P100	V 3 C V 3 F	P100	BN100LA4	266-267
14.4	2.7	795	1777	2.4	1.1	46	16000	VF 150_46	V3 P100	V 3 C V 3 F	P112	BN112M6	268-269
14.4	2.7	784	1752	1.6	0.8	46	13800	VF 130_46	V3 P100	V 3 C V 3 F	P112	BN112M6	266-267
15.6	3.0	707	1613	2.1	1.1	64	15500	VF 150_64	V3 P100	V 3 C V 3 F	P100	BN100LA4	268-269
15.6	3.0	696	1587	1.5	0.8	64	13200	VF 130_64	V3 P100	V 3 C V 3 F	P100	BN100LA4	266-267
16.6	3.1	701	1523	1.0	0.5	40	8000	W 110_40	— P100	— V 3 F	P112	BN112M6	265
17.9	3.4	636	1478	2.4	1.2	56	15500	VF 150_56	V3 P100	V 3 C V 3 F	P100	BN100LA4	268-269
17.9	3.4	627	1456	1.7	0.8	56	13200	VF 130_56	V3 P100	V 3 C V 3 F	P100	BN100LA4	266-267
21.7	4.1	545	1270	3.2	1.6	46	15500	VF 150_46	V3 P100	V 3 C V 3 F	P100	BN100LA4	268-269
21.7	4.1	537	1251	2.1	1.1	46	13200	VF 130_46	V3 P100	V 3 C V 3 F	P100	BN100LA4	266-267
21.7	4.1	523	1214	1.2	0.6	46	8000	W 110_46	— P100	— V 3 F	P100	BN100LA4	265
25.0	4.8	474	1104	3.7	1.8	40	15500	VF 150_40	V3 P100	V 3 C V 3 F	P100	BN100LA4	268-269
25.0	4.8	467	1088	2.6	1.3	40	13200	VF 130_40	V3 P100	V 3 C V 3 F	P100	BN100LA4	266-267
25.0	4.8	467	1088	1.5	0.7	40	8000	W 110_40	— P100	— V 3 F	P100	BN100LA4	265
28.8	5.4	436	992	2.7	1.3	23	13800	VF 130_23	V3 P100	V 3 C V 3 F	P112	BN112M6	266-267
28.8	5.4	447	992	1.3	0.6	23	8000	W 110_23	— P100	— V 3 F	P112	BN112M6	265




2.2 kW







n_2 min ⁻¹	n_2' min ⁻¹	M ₂ Nm	M _{2'} Nm	S	S'	i	R _{n2} N	V	P(IEC)	C	F		
33	6.3	370	876	4.3	2.2	30	15500	VF 150_30	V3 P100	V 3 C V 3 F	P100	BN100LA4	268-269
33	6.3	370	864	3.4	1.7	30	13200	VF 130_30	V3 P100	V 3 C V 3 F	P100	BN100LA4	266-267
33	6.3	355	840	2.1	1.0	30	8000	W 110_30	— P100	— V 3 F	P100	BN100LA4	265
43	8.3	298	708	3.5	1.8	23	13200	VF 130_23	V3 P100	V 3 C V 3 F	P100	BN100LA4	266-267
43	8.3	298	708	1.9	0.9	23	8000	W 110_23	— P100	— V 3 F	P100	BN100LA4	265
50	9.5	262	632	4.0	2.1	20	13200	VF 130_20	V3 P100	V 3 C V 3 F	P100	BN100LA4	266-267
50	9.5	262	632	2.3	1.1	20	8000	W 110_20	— P100	— V 3 F	P100	BN100LA4	265
67	12.7	199	480	3.2	1.5	15	8000	W 110_15	— P100	— V 3 F	P100	BN100LA4	265
95	17.9	148	337	3.7	1.8	7	8000	W 110_7	— P100	— V 3 F	P112	BN112M6	265
95	17.9	148	333	1.8	0.9	7	6250	W 86_7	— P100	— V 3 F	P112	BN112M6	264
100	19.0	138	336	4.3	1.9	10	8000	W 110_10	— P100	— V 3 F	P100	BN100LA4	265
143	27.1	99	241	5.5	2.5	7	8000	W 110_7	— P100	— V 3 F	P100	BN100LA4	265

3.0 kW

10.0	1.9	1488	3136	1.3	0.7	100	19000	VF 185_100	— P100	— V 3 F	P100	BN100LB4	270-271
12.5	2.4	1267	2688	1.9	1.0	80	19000	VF 185_80	— P100	— V 3 F	P100	BN100LB4	270-271
12.5	2.4	1248	2643	1.1	0.6	80	15500	VF 150_80	V3 P100	V 3 C V 3 F	P100	BN100LB4	268-269
15.6	3.0	1060	2258	1.4	0.8	64	15500	VF 150_64	V3 P100	V 3 C V 3 F	P100	BN100LB4	268-269
15.6	3.0	1044	2222	1.0	0.5	64	13200	VF 130_64	V3 P100	V 3 C V 3 F	P100	BN100LB4	266-267
16.7	3.2	1022	2218	2.5	1.4	60	19000	VF 185_60	— P100	— V 3 F	P100	BN100LB4	270-271
17.9	3.4	954	2070	1.6	0.8	56	15500	VF 150_56	V3 P100	V 3 C V 3 F	P100	BN100LB4	268-269
17.9	3.4	941	2038	1.1	0.6	56	13200	VF 130_56	V3 P100	V 3 C V 3 F	P100	BN100LB4	266-267
20.0	3.8	876	1904	3.3	1.7	50	19000	VF 185_50	— P100	— V 3 F	P100	BN100LB4	270-271
21.7	4.1	817	1777	2.1	1.1	46	15500	VF 150_46	V3 P100	V 3 C V 3 F	P100	BN100LB4	268-269
21.7	4.1	806	1752	1.4	0.8	46	13200	VF 130_46	V3 P100	V 3 C V 3 F	P100	BN100LB4	266-267
25.0	4.8	710	1546	2.5	1.3	40	15500	VF 150_40	V3 P100	V 3 C V 3 F	P100	BN100LB4	268-269
25.0	4.8	701	1523	1.7	0.9	40	13200	VF 130_40	V3 P100	V 3 C V 3 F	P100	BN100LB4	266-267
33	6.3	554	1226	2.9	1.6	30	15500	VF 150_30	V3 P100	V 3 C V 3 F	P100	BN100LB4	268-269
33	6.3	554	1210	2.3	1.2	30	13200	VF 130_30	V3 P100	V 3 C V 3 F	P100	BN100LB4	266-267
33	6.3	533	1176	1.4	0.7	30	8000	W 110_30	— P100	— V 3 F	P100	BN100LB4	265
43	8.3	453	1005	3.3	1.8	23	15500	VF 150_23	V3 P100	V 3 C V 3 F	P100	BN100LB4	268-269
43	8.3	447	992	2.3	1.3	23	13200	VF 130_23	V3 P100	V 3 C V 3 F	P100	BN100LB4	266-267



3.0 kW

n_2 min ⁻¹	n_2' min ⁻¹	M_2 Nm	M_2' Nm	S	S'	i	R_{n2} N	 V	 P(IEC)	 C	 F	 IEC	
43	8.3	447	992	1.3	0.6	23	8000	W 110_23	— P100	— V 3 F	P100	BN100LB4	265
50	9.5	394	885	2.7	1.5	20	13200	VF 130_20	V3 P100	V 3 C V 3 F	P100	BN100LB4	266-267
50	9.5	394	885	1.6	0.8	20	8000	W 110_20	— P100	— V 3 F	P100	BN100LB4	265
67	12.7	299	672	2.2	1.1	15	8000	W 110_15	— P100	— V 3 F	P100	BN100LB4	265
67	12.7	302	680	3.6	2.0	15	13130	VF 130_15	V3 P100	V 3 C V 3 F	P100	BN100LB4	266-267
100	19.0	206	470	2.9	1.4	10	8000	W 110_10	— P100	— V 3 F	P100	BN100LB4	265
143	27.1	148	337	3.7	1.8	7	8000	W 110_7	— P100	— V 3 F	P100	BN100LB4	265

4.0 kW

6.6	1.3	2666	4988	2.0	1.0	100	52000	VF 250_100	— P132	— V 10 F	P132	BN132MA6	244-245
6.6	1.3	2537	4816	1.3	0.7	100	34500	VF 210_100	— P132	— V 10 F	P132	BN132MA6	272
8.3	1.6	2167	4128	1.7	0.9	80	34500	VF 210_80	— P132	— V 10 F	P132	BN132MA6	272
8.3	1.6	2202	4128	1.2	0.7	80	19500	VF 185_80	— P132	— V 10 F	P132	BN132MA6	270-271
10.0	1.9	1984	4032	1.0	0.6	100	19000	VF 185_100	— P100	— V 5.5 F	P112	BN112M4	270-271
11.1	2.1	1754	3354	2.3	1.3	60	34500	VF 210_60	— P132	— V 10 F	P132	BN132MA6	272
11.1	2.1	1780	3406	1.6	0.9	60	19500	VF 185_60	— P132	— V 10 F	P132	BN132MA6	270-271
12.5	2.4	1690	3456	1.4	0.8	80	19000	VF 185_80	— P100	— V 5.5 F	P112	BN112M4	270-271
13.3	2.5	1527	2924	2.8	1.5	50	34500	VF 210_50	— P132	— V 10 F	P132	BN132MA6	272
13.3	2.5	1527	2924	2.0	1.1	50	19500	VF 185_50	— P132	— V 10 F	P132	BN132MA6	270-271
14.4	2.7	1424	2730	1.3	0.7	46	16000	VF 150_46	— P132	— V 10 F	P132	BN132MA6	268-269
15.6	3.0	1413	2903	1.0	0.6	64	15500	VF 150_64	V55 P112	V 5.5 C V 5.5 F	P112	BN112M4	268-269
16.7	3.2	1363	2851	1.9	1.1	60	19000	VF 185_60	— P100	— V 5.5 F	P112	BN112M4	270-271
17.9	3.4	1272	2661	1.2	0.7	56	15500	VF 150_56	V55 P112	V 5.5 C V 5.5 F	P112	BN112M4	268-269
20.0	3.8	1168	2448	2.5	1.3	50	19000	VF 185_50	V55 P112	V 5.5 C V 5.5 F	P112	BN112M4	270-271
21.7	4.1	1089	2285	1.6	0.9	46	15500	VF 150_46	V55 P112	V 5.5 C V 5.5 F	P112	BN112M4	268-269
21.7	4.1	1075	2252	1.1	0.6	46	13200	VF 130_46	V55 P112	V 5.5 C V 5.5 F	P112	BN112M4	266-267
25.0	4.8	947	1987	1.8	1.0	40	15500	VF 150_40	V55 P112	V 5.5 C V 5.5 F	P112	BN112M4	268-269
25.0	4.8	934	1958	1.3	0.7	40	13200	VF 130_40	V55 P112	V 5.5 C V 5.5 F	P112	BN112M4	266-267
28.8	5.4	781	1523	1.5	0.9	23	13800	VF 130_23	— P132	— V 10 F	P132	BN132MA6	266-267
33	6.3	739	1577	2.2	1.2	30	15500	VF 150_30	V55 P112	V 5.5 C V 5.5 F	P112	BN112M4	268-269
33	6.3	739	1555	1.7	1.0	30	13200	VF 130_30	V55 P112	V 5.5 C V 5.5 F	P112	BN112M4	266-267